abcam

Product datasheet

Anti-RFC4 antibody ab96852

1 References 3 图像

概述

产**品名称** Anti-RFC4抗体

描述 兔多克隆抗体to RFC4

宿主 Rabbit

经测试应用 适用于: WB, IHC-P, ICC/IF

种属反应性 与反应: Human

预测可用于: Mouse, Rat, Cow 🔷

免疫原 Recombinant fragment, corresponding to a region within amino acids 18 and 293 of Human

RFC4 (NP_002907)

阳性对照 293T, A431, H1299, HeLa, HepG, Molt-4, Raji cell lysates. A549 cells. MDAMB-468 Xenograft

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 lqG

应用

1

The Abpromise guarantee

Abpromise™承诺保证使用ab96852于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/3000. Predicted molecular weight: 40 kDa.
IHC-P		1/100 - 1/500.
ICC/IF		1/100 - 1/200.

功能 The elongation of primed DNA templates by DNA polymerase delta and epsilon requires the


action of the accessory proteins proliferating cell nuclear antigen (PCNA) and activator 1. This

subunit may be involved in the elongation of the multiprimed DNA template.

序列相似性 Belongs to the activator 1 small subunits family.

细胞定位 Nucleus.

图片



All lanes: Anti-RFC4 antibody (ab96852) at 1/1000 dilution

Lane 1: H1299 whole cell lysate


Lane 2 : HeLa whole cell lysate

Lane 3: HepG2 whole cell lysate

Lysates/proteins at 30 µg per lane.


Predicted band size: 40 kDa

10% SDS PAGE



RFC4 antibody (ab96852)

Immunofluorescence analysis of paraformal dehyde-fixed A549, using ab 96852 at 1/200 dilution. Lower image merged with DNA probe.



Immunohistochemical analysis of paraffin-embedded MDAMB-468 Xenograft, using ab96852 at 1/100 dilution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors