abcam

Product datasheet

Anti-RFP antibody [RF5R] ab125244

1 Abreviews 11 References 1 图像

概述

产**品名称** Anti-RFP抗体[RF5R]

描述 小鼠单克隆抗体[RF5R] to RFP

宿主 Mouse

特异性 Recognizes native and denatured forms of RFP and its turbo-RFP, DsRed variants

经测试应用 适用于: WB

种属反应性 与反应: Species independent

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 Transfected HEK293 cell lysate.

常规说明 Store at 4°C (add 0.1% NaN3) for several days to weeks.

This product was changed from ascites to tissue culture supernatant on 5th February 2018. Please note that the dilutions may need to be adjusted accordingly. If you have any questions,

please do not hesitate to contact our scientific support team.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

存储溶液 pH: 7.20

Preservative: 0.05% Sodium azide

Constituent: 99% PBS

纯**度** Protein A purified

纯**化**说明 ab125244 is purified by protein A affinity chromatography from TCS

1

 克隆
 单克隆

 克隆编号
 RF5R

 同种型
 lgG1

应用

The Abpromise guarantee Abpromise™承诺保证使用ab125244于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		1/1000 - 1/3000. Predicted molecular weight: 26 kDa. Sensitivity with ECL: 1-10ng of purified RFP or RFP fusion proteins.

靶标

相关性

Fluorescent proteins have become a useful and ubiquitous tool for making chimeric proteins, where they function as a fluorescent protein tag. Typically they tolerate N- and C-terminal fusion to a broad variety of proteins. They have been expressed in most known cell types and are used as a noninvasive fluorescent marker in living cells and organisms. They enable a wide range of applications where they have functioned as a cell lineage tracer, reporter of gene expression, or as a measure of protein-protein interactions.

图片



All lanes : Anti-RFP antibody [RF5R] (ab125244) at 1/1000 dilution

Lane 1: HEK293 cell lysate, non-transfected

Lane 2: HEK293 cell lysate, Turbo-RFP-transfected

Lane 3: HEK293 cell lysate, DsRed-transfected

Developed using the ECL technique.

Predicted band size: 26 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors