abcam

Product datasheet

Anti-RSK1 p90 (phospho S732) antibody ab106087

1 图像

概述

产品名称 Anti-RSK1 p90 (phospho S732)抗体

描述 兔多克隆抗体to RSK1 p90 (phospho S732)

宿主 Rabbit

经测试应用 适用于: WB

种属反应性 与反应: Human

预测可用于: Mouse, Rat, Horse, Chicken, Cow, Dog, Opossum

A

免疫原 Synthetic peptide corresponding to Human RSK1 p90 (C terminal).

阳性对照 EGF stimulated HEK293T cell lysates.

常规说明 Expiration date is one (1) year from date of opening product. Dilute only prior to immediate use.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 Preservative: 0.01% Sodium azide

Constituents: 0.42% Potassium phosphate, 0.88% Sodium chloride

纯**度** Immunogen affinity purified

纯**化说明** ab106087 was affinity purified from monospecific antiserum by immunoaffinity chromatography

using phosphorylated peptide coupled to agarose beads followed by solid phase adsorption

against non phosphorylated peptide.

克隆 多克隆

同种型 IgG

The Abpromise guarantee

Abpromise™承诺保证使用ab106087于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/2000. Predicted molecular weight: 83 kDa.

靶标

功能 Serine/threonine kinase that may play a role in mediating the growth-factor and stress induced

activation of the transcription factor CREB.

序列相似性 Belongs to the protein kinase superfamily. AGC Ser/Thr protein kinase family. S6 kinase


subfamily.

Contains 1 AGC-kinase C-terminal domain.

Contains 2 protein kinase domains.

翻译后修饰 Autophosphorylated on Ser-380, as part of the activation process.

图片



Western blot - Anti-RSK1 p90 (phospho S732) antibody (ab106087)

All lanes : Anti-RSK1 p90 (phospho S732) antibody (ab106087) at 1/1000 dilution

Lane 1 : unstimulated HEK293T cell lysates (absence of serum for

2 N)

Lane 2: EGF stimulated (lane 2) HEK293T cell lysates (absence

of serum for 12 h)

Secondary

All lanes: Goat-anti-Rabbit HRP

Developed using the ECL technique.

Predicted band size: 83 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors