abcam

Product datasheet

Anti-SCGF antibody [MM0533-6D5] ab90238

2 References 1 图像

概述

产品名称 Anti-SCGF抗体[MM0533-6D5]

宿主 Mouse

适用于: IHC-P, WB

种属反应性 与反应: Human

免疫原 Recombinant full length Human protein.

阳性对照 WB: Human placenta tissue lysate

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

存储溶液 Constituent: PBS 纯度 Protein G purified

克隆 单克隆

克隆编号 MM0533-6D5

同种型 lgG1

应用

The Abpromise guarantee Abpromise™承诺保证使用ab90238于以下的经测试应用

1


"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		Use at an assay dependent concentration.
WB		1/500 - 1/1000. Predicted molecular weight: 35 kDa.

靶标

#L 1/1		
功能	Stimulates the proliferation and differentiation of hematopoietic precursor cells from various lineages, including erythrocytes, lymphocytes, granulocytes and macrophages. Acts synergistically with other cytokines, including IL-3, GCSF, GMCSF and FLT3 ligand. Suppresses SCF-stimulated erythrocyte proliferation.	
组织 特异性	Expressed in skeletal tissues including bone marrow, chondrocytes, primary ossification center-associated cells, the perichondrium and periosteum. Lower levels of expression were detected in spleen, thymus, appendix and fetal liver.	
序列相似性	Contains 1 C-type lectin domain.	
发 展阶段	In the bone marrow, expression is limited to immature neutrophils. Expression was not detected in circulating mature neutrophils.	
翻译后修饰	O-glycosylated. Probably sulfated on the O-glycans.	
细 胞定位	Cytoplasm. Secreted.	

图片



Anti-SCGF antibody [MM0533-6D5] (ab90238) at 1/500 dilution + Human placenta tissue lysate

Predicted band size: 35 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors