




Anti-Slit3 antibody ab11018

2 References 1 图像

概述	
产品名称	Anti-Slit3抗体
描述	兔多克隆抗体to Slit3
宿主	Rabbit
经测试应用	适用于: WB
种属反应性	与反应: Cow 预测可用于: Mouse, Rat, Chicken, Human 
免疫原	Synthetic peptide: GKDSYVELASAKVR-C conjugated to KLH, corresponding to amino acids 1164-1177 of Human Slit3.  Run BLAST with  Run BLAST with
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>
性能	
形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	Preservative: 0.01% Sodium azide Constituents: 0.42% Potassium phosphate, 0.87% Sodium chloride
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG
应用	

The Abpromise guarantee

Abpromise™ 承诺保证使用ab11018于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/2000. Detects a band of approximately 145 kDa (predicted molecular weight: 169 kDa).

靶标

功能	May act as molecular guidance cue in cellular migration, and function may be mediated by interaction with roundabout homolog receptors.
组织特异性	Predominantly expressed in thyroid.
序列相似性	Contains 1 CTCK (C-terminal cystine knot-like) domain. Contains 9 EGF-like domains. Contains 1 laminin G-like domain. Contains 20 LRR (leucine-rich) repeats. Contains 4 LRRCT domains. Contains 4 LRRNT domains.
细胞定位	Secreted.

图片



Anti-Slit3 antibody (ab11018) at 1/800 dilution + Bovine thyroid whole cell lysate at 35 µg

Secondary

Goat-anti-Rabbit IgG [H&L] at 1/10000 dilution

Predicted band size: 169 kDa

Observed band size: 145 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors