abcam

Product datasheet

Anti-SOX1 antibody ab87775

★★★★★ 10 Abreviews 22 References 2 图像

概述

产品名称 Anti-SOX1抗体

描述 兔多克隆抗体to SOX1

宿主 Rabbit

经测试应用 适用于: ICC/IF, IHC-P, WB 种属反应性 与反应: Mouse, Rat, Human

预测可用于: Rabbit, Dog, Chimpanzee, Orangutan 4

免疫原 Synthetic peptide corresponding to Human SOX1 aa 350 to the C-terminus conjugated to keyhole

limpet haemocyanin.

(Peptide available as ab138973)

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising

scientific support team who will be happy to help.

纯**度** Immunogen affinity purified

克隆 多克隆

1

同种型 lgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab87775于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF	★★★ ★★ (5)	Use at an assay dependent concentration.
IHC-P	★★★★ <u>(2)</u>	Use at an assay dependent concentration.
WB	★★★★ (1)	Use a concentration of 1 µg/ml. Detects a band of approximately 40 kDa (predicted molecular weight: 39 kDa).

靶标


功能 Transcriptional activator.

组织特异性 Mainly expressed in the developing central nervous system.

序列相似性 Contains 1 HMG box DNA-binding domain.

细胞定位 Nucleus.

图片



All lanes: Anti-SOX1 antibody (ab87775) at 1 µg/ml

Lane 1: E14Tg2a (Mouse embryonic stem cell line) Whole Cell

Lysate

Lane 2: 46C (Mouse embryonic stem cell line) Whole Cell Lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: Goat Anti-Rabbit IgG H&L (HRP) at 1/50000 dilution

Developed using the ECL technique.


Performed under reducing conditions.

Predicted band size: 39 kDa **Observed band size:** 40 kDa

Additional bands at: 45 kDa (possible non-specific binding)

Exposure time: 8 minutes

This blot was produced using a 4-12% Bis-tris gel under the MOPS buffer system. The gel was run at 200V for 50 minutes before being transferred onto a Nitrocellulose membrane at 30V for 70 minutes. The membrane was then blocked for an hour using 2% BSA before being incubated with ab87775 overnight at 4°C. Antibody binding was detected using an **anti-rabbit HRP** secondary antibody, and visualised using ECL development solution **ab133406**.



Western blot - Anti-SOX1 antibody (ab87775)

This image is courtesy of an abreview by Patrick Ovando Roche

All lanes: Anti-SOX1 antibody (ab87775) at 1/1000 dilution

Lane 1: H1 Human embryonic stem cells

Lane 2: H1 Human embryonic stem cell derived neural progenitor stem cells

Lysates/proteins at 20 µg per lane.

Secondary

All lanes: Mouse anti-rabbit HRP conjugated at 1/20000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 39 kDa **Observed band size:** 50 kDa

Exposure time: 30 seconds

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors