

Anti-Strep-tag II antibody ab119810

1 References **1 图像**

概述

产品名称	Anti-Strep-tag II抗体
描述	兔多克隆抗体to Strep-tag II
宿主	Rabbit
特异性	The antibody recognizes 28 kDa of Dectin-1 from samples of human origins. A ~16 kDa monomeric form and a 43 kDa glycoprotein can also be detected. Reactivity to other species has not been tested.
经测试应用	适用于: WB
种属反应性	与反应: Species independent
免疫原	Synthetic peptide: NWSHPQFEK , Strep-tag II conjugated to KLH

 [Run BLAST with](#)

 [Run BLAST with](#)

常规说明	<p>This product is manufactured by BioVision, an Abcam company and was previously called 3988 Strep-Tag II Antibody. 3988-100 is the same size as the 100 µg size of ab119810.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>
------	--

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.20 Preservative: 0.03% Proclin 300 Constituents: 30% Glycerol (glycerin, glycerine), 0.5% BSA, PBS, 0.15% EDTA
纯度	Affinity purified

克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab119810于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 0.5 - 4 µg/ml.

靶标

相关性 Streptavidin is a tetrameric protein purified from *Streptomyces avidinii*. It has wide use in numerous molecular biological protocols due to its strong affinity for biotin. The original Strep-tag (AWRHPQFGG) was a nine amino acid peptide with high specificity and affinity towards streptavidin which allows the simple purification of protein by use of affinity columns, but required addition to only the C-terminus of recombinant proteins. To also allow a Strep-tag to be placed at the N-terminus of recombinant proteins, it was re-engineered and re-named Strep-tag II.

图片



All lanes : Anti-Strep-tag II antibody (ab119810) at 4 µg/ml

Lane 1 : Strep-tag II protein ladder

Lane 2 : ApoE4 protein without Strep-tag II

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors