abcam

Product datasheet

Anti-TECPR2 antibody ab121109

2图像

概述			
产 品名称	Anti-TECPR2抗体		
描述	兔多克隆抗体to TECPR2		
宿主	Rabbit		
经测试应 用	适用于: ICC/IF, IHC-P		
种属反 应性	与反应: Human		
免疫原	Recombinant fragment, corresponding to amino acids 1270-1411 of Human TECPR2.		
阳性对照	Human cerebral cortex tissue.		
常 规说 明	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.		
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As		
性能			
形式	Liquid		
存放 说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.		
存储溶液	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)		
纯 度	Immunogen affinity purified		

应用

克隆

同种型

The Abpromise guarantee Abpromise ™承诺保证使用ab121109于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

多克隆

lgG


应用	Ab评论	说明
ICC/IF		Use a concentration of 0.25 - 2 μ g/ml. Recommend PFA Fixation and Triton X-100 treatment
IHC-P		1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

靶标

序列相似性


Belongs to the WD repeat KIAA0329 family. Contains 6 TECPR repeats. Contains 3 WD repeats.

图片



Immunofluorescent staining of Human cell line U-2 OS shows positivity in cytoplasm. Recommended concentration of ab121109 0.25-2 μ g/ml. Cells treated with PFA/Triton X-100.

Immunocytochemistry/ Immunofluorescence - Anti-TECPR2 antibody (ab121109)



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TECPR2 antibody (ab121109) ab121109 at 1/100 dilution staining TECPR2 in Paraffin-embedded Human Cerebral cortex tissue by Immunohistochemistry. Note: strong nuclear and cytoplasmic positivity in neuronal cells.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors