

### Anti-Tenascin-N antibody ab121887

★★★★★ [1 Abreviews](#) [4 图像](#)

#### 概述

产品名称	Anti-Tenascin-N抗体
描述	兔多克隆抗体to Tenascin-N
宿主	Rabbit
经测试应用	适用于: IHC-P
种属反应性	与反应: Human
免疫原	antigen sequence: KEQQVTVSHT YKIDVPKSAL VQVDADPQPL SDDGASLLAL GEAREEQNII FRHNIRLQTP QKDCELAGSV QDLLARVKKL EEEMVEMKEQ CSA, corresponding to amino acids 36-128 of Human Tenascin-N. (Q9UQP3) <a href="#">Run BLAST with ExPASy</a> <a href="#">Run BLAST with NCBI</a>
阳性对照	IHC-P: Human breast, salivary gland, prostate and cerebral cortex tissues.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 59% PBS
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

#### 应用

**The Abpromise guarantee**      **Abpromise™**承诺保证使用ab121887于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P	★★★★★ (1)	1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

**靶标**


功能	Involved in neurite outgrowth and cell migration in hippocampal explants.
序列相似性	Belongs to the tenascin family. Contains 3 EGF-like domains. Contains 1 fibrinogen C-terminal domain. Contains 9 fibronectin type-III domains.
细胞定位	Secreted > extracellular space > extracellular matrix.

**图片**




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)

Immunohistochemical analysis of human breast tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.




Immunohistochemical analysis of human salivary gland tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)



Immunohistochemical analysis of human prostate tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)



Immunohistochemical analysis of human cerebral cortex tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors