

Anti-Tetranectin antibody [5B7] ab51883

4 References **3 图像**

概述

产品名称	Anti-Tetranectin抗体[5B7]
描述	小鼠单克隆抗体[5B7] to Tetranectin
宿主	Mouse
特异性	ab51883 is specific for amino acids 17-181 of human tetranectin monomer.
经测试应用	适用于: ICC/IF, WB
种属反应性	与反应: Cow, Human
免疫原	Full length native protein (purified) corresponding to Human Tetranectin. Tetranectin purified from human citrate plasma and coupled to PPD. Boosted before fusion with recombinant tetranectin produced in E. coli.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	<p>pH: 7.40</p> <p>Preservative: 0.097% Sodium azide</p> <p>Constituents: 0.0268% PBS, 2.9% Sodium chloride</p>
纯度	Protein A purified
克隆	单克隆
克隆编号	5B7
同种型	IgG2a
轻链类型	kappa

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab51883于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration. Predicted molecular weight: 22 kDa.

靶标


功能	Tetranectin binds to plasminogen and to isolated kringle 4. May be involved in the packaging of molecules destined for exocytosis.
组织特异性	Found in plasma.
序列相似性	Contains 1 C-type lectin domain.
细胞定位	Secreted.

图片



Immunocytochemistry/ Immunofluorescence - Anti-Tetranectin antibody [5B7] (ab51883)

Immunocytochemistry/Immunofluorescence analysis of human neutrophils labelling Tetranectin (red) with ab51883. Counterstained with DAPI. A - DAPI, B - Tetranectin, C - Overlay.



Western blot - Anti-Tetranectin antibody [5B7]
(ab51883)

All lanes : Anti-Tetranectin antibody [5B7] (ab51883) at 5 µg/ml

Lane 1 : Human liver tissue lysate - total protein ([ab29889](#))

Lane 2 : Human skeletal muscle tissue lysate - total protein
([ab29330](#))

Lysates/proteins at 10 µg per lane.


Secondary

All lanes : Goat polyclonal to Mouse IgG - H&L - Pre-Adsorbed
(HRP) at 1/3000 dilution

Predicted band size: 22 kDa

Observed band size: 22 kDa

Additional bands at: 25 kDa (possible post-translational modification), 55 kDa. We are unsure as to the identity of these extra bands.



Western blot - Anti-Tetranectin antibody [5B7]
(ab51883)

Lanes 2-3 : Anti-Tetranectin antibody [5B7] (ab51883)

Lane 1 : Marker

Lane 2 : Human serum at 20 µl

Lane 3 : Bovine serum at 20 µl

Predicted band size: 22 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors