

Anti-TIM 4 antibody ab47637

9 References [5 图像](#)

概述

产品名称	Anti-TIM 4抗体
描述	兔多克隆抗体to TIM 4
宿主	Rabbit
经测试应用	适用于: WB, ICC/IF, IHC-P
种属反应性	与反应: Mouse, Human
免疫原	Synthetic peptide corresponding to Human TIM 4 (internal sequence). A 16 aminoacid synthetic peptide from near the center of human TIM 4 Database link: Q96H15
阳性对照	Jurkat whole cell lysate (ab7899)
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee


Abpromise™承诺保证使用ab47637于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 2 µg/ml. Predicted molecular weight: 42 kDa.
ICC/IF		Use a concentration of 10 - 20 µg/ml.
IHC-P		Use a concentration of 2 µg/ml.


靶标	
功能	Phosphatidylserine receptor that enhances the engulfment of apoptotic cells. Involved in regulating T-cell proliferation and lymphotoxin signaling. Ligand for HAVCR1/TIMD1.
序列相似性	Belongs to the immunoglobulin superfamily. TIM family. Contains 1 Ig-like V-type (immunoglobulin-like) domain.
结构域	Recognizes phosphatidyl serine via its immunoglobulin domain.
细胞定位	Membrane.

图片




Western Blot of RAW264.7 cell lysate labeling TIM 4 with Anti-TIM 4 antibody (ab47637) at 2µg/ml in (1) the absence and (2) the presence of blocking peptide.

Western blot - Anti-TIM 4 antibody (ab47637)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TIM 4 antibody (ab47637)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of mouse liver tissue staining TIM 4 with ab47637 at 2µg/ml



Western blot - Anti-TIM 4 antibody (ab47637)

Lane 1 : Anti-TIM 4 antibody (ab47637) at 1 µg/ml

Lane 2 : Anti-TIM 4 antibody (ab47637) at 2 µg/ml


All lanes : Jurkat cell lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 42 kDa

Observed band size: 50 kDa

Additional bands at: 27 kDa, 30 kDa, 75 kDa. We are unsure as to the identity of these extra bands.



Immunocytochemistry/ Immunofluorescence - Anti-TIM 4 antibody (ab47637)

ab47637 at 10µg/ml staining TIM 4 in Jurkat cells by ICC/IF

Immunocytochemistry/ Immunofluorescence - Anti-TIM 4 antibody (ab47637)

Immunofluorescence of TIM-4 in Jurkat cells using ab47637 at 20 ug/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors