abcam

Product datasheet

Anti-TMEM119 antibody [106-6] - BSA and Azide free ab220249





重组 RabMAb

1 Abreviews 1 References 6 图像

概述

产品名称 Anti-TMEM119抗体[106-6] - BSA and Azide free

描述 兔单克隆抗体[106-6] to TMEM119 - BSA and Azide free

宿主 Rabbit

特异性 Human reactivity has not been tested.

经测试应用 适用于: Flow Cyt

不适用于: IHC-Fr or IHC-P

种属反应性 与反应: Mouse

免疫原 Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.

阳性对照 Flow Cytometry: Acutely isolated primary mouse microglia (P60 BL6 mouse; wildtype

CD11b+CD45lo brain cells).

常规说明 ab220249 is the carrier-free version of ab210405.

> Please note that the original Bennett et al. (2016) publication (PubMed: 26884166), used a combination of clones 106-6 and 85-5. With the author's permission, the decision was made to add the recombinant version of only a single clone (106-6) to the catalogue as it performed equally well on its own.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C. Do Not Freeze.

存储溶液 pH: 7.2

Constituent: PBS

无载体 是

纯**度** Protein A purified

 克隆
 单克隆

 克隆编号
 106-6

 同种型
 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab220249于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
Flow Cyt		Use a concentration of 0.1 - 0.5 µg/ml. For detailed protocol of microglia extraction from mouse brain, spinal cord or retina, please refer to PMID 26884166 and PMID 28963474

应用说明 Is unsuitable for IHC-Fr or IHC-P.


靶标

细胞定位 Membrane; Single-pass type I membrane protein

图片



Flow Cytometry - Anti-TMEM119 antibody [106-6] - BSA and Azide free (ab220249)



Flow Cytometry - Anti-TMEM119 antibody [106-6] - BSA and Azide free (ab220249)

Flow cytometry analysis of HEK-293T (human embryonic kidney) transfected with Myc-His tagged TMEM119 expression vector labeling TMEM119 with **ab210405** at 1/2000 dilution (0.1µg/mL) (right) compared with isotype control rabbit monoclonal IgG **ab172730** (Left). Cells were surface-stained with **ab210405**, then fixed with 2% PFA for 10 minutes and permeabilised with 0.1% Tween-20 for 30 minutes. Next, they were stained with Alexa Fluor® 647 conjugated Myc-tag antibody and Alexa Fluor® 488 conjugated secondary antibody. Only Myc-tag (+) population showed TMEM119 positive staining.


This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab210405).

Flow cytometric analysis of acutely isolated primary mouse microglia (P60 BL6 mouse; wildtype CD11b+CD45lo brain cells) cells labeling TMEM119 with <u>ab210405</u> at 0.5µg/mL (red) and 0.1µg/mL (blue), compared with TMEM119 KO primary mouse brain cells (black) stained with <u>ab210405</u> at 0.5µg/mL. Goat anti-Rabbit lgG (Alexa Fluor[®]488) at 1/500 dilution was used as the secondary antibody.


No signal was detected on the surface of CD11b+CD45lo brain cells from TMEM119 KO mouse (black) stained with **ab210405**; whereas in wildtype CD11b+CD45lo brain cells, cell surface staining was observed (red 0.5ug/mL; blue 0.1ug/mL).

The data was provided by Ben Barres' lab (Stanford University).

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab210405).



Flow Cytometry - Anti-TMEM119 antibody [106-6] - BSA and Azide free (ab220249)




Flow Cytometry - Anti-TMEM119 antibody [106-6] - BSA and Azide free (ab220249)

Clone 106-6 (ab220249) has been successfully conjugated by Abcam. This image was generated using Anti-TMEM119 antibody [106-6] (Alexa Fluor® 488). Please refer to ab225497 for protocol details.

Flow cytometry analysis of HEK-293T (human embryonic kidney) transfected with Myc-His tagged TMEM119 expression vector labelling TMEM119 with <u>ab225497</u> at 1/500 dilution (right) compared with Rabbit IgG (monoclonal) Alexa Fluor[®] 488 <u>ab199091</u> (left). Cells were surface-stained with <u>ab225497</u>, then fixed with 2% PFA for 10 minutes and permeabilised with 0.1% Tween-20 for 30 minutes. Next, they were stained with Alexa Fluor[®] 647 conjugated Myc-tag. Only Myc-tag (+) population showed TMEM119 positive staining.

Clone 106-6 (ab220249) has been successfully conjugated by Abcam. This image was generated using Anti-TMEM119 antibody [106-6] (PE). Please refer to <u>ab225496</u> for protocol details.

Flow cytometry analysis of HEK-293T (human embryonic kidney) transfected with Myc-His tagged TMEM119 expression vector labelling TMEM119 with <u>ab225496</u> at 1/500 dilution (right) compared with Rabbit IgG (monoclonal) Phycoerythrin <u>ab209478</u> (left). Cells were surface-stained with <u>ab225496</u>, then fixed with 2% PFA for 10 minutes and permeabilised with 0.1% Tween-20 for 30 minutes. Next, they were stained with Alexa Fluor[®] 647 conjugated Myc-tag. Only Myc-tag (+) population showed TMEM119 positive staining.




Flow Cytometry - Anti-TMEM119 antibody [106-6] -

BSA and Azide free (ab220249)

Clone 106-6 (ab220249) has been successfully conjugated by Abcam. This image was generated using Anti-TMEM119 antibody [106-6] (Alexa Fluor[®] 647). Please refer to **ab225494** for protocol details.

Flow cytometry analysis of HEK-293T (human embryonic kidney) transfected with Myc-His tagged TMEM119 expression vector labelling TMEM119 with ab225494 at 1/500 dilution (right) compared with Rabbit IgG (monoclonal) Alexa Fluor[®] 647 ab199093 (left). Cells were surface-stained with ab225494, then fixed with 2% PFA for 10 minutes and permeabilised with 0.1% Tween-20 for 30 minutes. Next, they were stained with Alexa Fluor[®] 488 conjugated Myc-tag. Only Myc-tag (+) population showed TMEM119 positive staining.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors