

# Anti-TMEM119 antibody - Microglial marker ab185337

★★★★★ [13 Abreviews](#) [5 References](#) [5 图像](#)

### 概述

---

产品名称	Anti-TMEM119抗体- Microglial marker
描述	兔多克隆抗体to TMEM119 - Microglial marker
宿主	Rabbit
经测试应用	适用于: IHC-P
种属反应性	与反应: Human
免疫原	Recombinant fragment corresponding to Human TMEM119 aa 100-200. Database link: <a href="#">Q4V9L6</a>
	<a href="#">Run BLAST with</a> <a href="#">Run BLAST with</a>

### 常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

### 性能

---

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
存储溶液	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 59% PBS
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

### 应用

---

## The Abpromise guarantee

**Abpromise™** 承诺保证使用 ab185337 于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
IHC-P	★★★★☆ (2)	1/50 - 1/200. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

## 靶标

### 细胞定位


Membrane; Single-pass type I membrane protein

## 图片




Paraffin-embedded human lymph node tissue stained for TMEM119 using ab185337 at 1/50 dilution in immunohistochemical analysis.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TMEM119 antibody - Microglial marker (ab185337)




Paraffin-embedded human cerebral cortex tissue stained for TMEM119 using ab185337 at 1/50 dilution in immunohistochemical analysis.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TMEM119 antibody - Microglial marker (ab185337)



Paraffin-embedded human testis tissue stained for TMEM119 using ab185337 at 1/50 dilution in immunohistochemical analysis.


Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TMEM119 antibody - Microglial marker (ab185337)



Paraffin-embedded human liver tissue stained for TMEM119 using ab185337 at 1/50 dilution in immunohistochemical analysis.

Negative control.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TMEM119 antibody - Microglial marker (ab185337)



Immunohistochemistry analysis of Human tonsil tissue labeling TMEM119 with ab185337 at 1/50 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TMEM119 antibody - Microglial marker (ab185337)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit <https://www.abcam.cn/abpromise> or contact our technical team.

## **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors