


### Anti-TXNRD1 antibody ab16840

★★★★★ [3 Abreviews](#) [24 References](#) [1 图像](#)

#### 概述

产品名称	Anti-TXNRD1抗体
描述	兔多克隆抗体to TXNRD1
宿主	Rabbit
经测试应用	适用于: IP, ICC/IF, IHC-P, WB
种属反应性	与反应: Mouse, Rat, Human 预测可用于: Horse, Cow, Chimpanzee, Ferret, Macaque monkey, Orangutan 
免疫原	Recombinant full length protein (Human).
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	Preservative: 0.03% Sodium azide Constituents: HEPES, 50% Glycerol, 0.87% Sodium chloride, 0.01% BSA
纯度	Protein A purified
克隆	多克隆
同种型	IgG

#### 应用

**The Abpromise guarantee** [Abpromise™](#) 承诺保证使用ab16840于以下的经测试应用


“应用说明”部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IP		Use at an assay dependent concentration.
ICC/IF	★★★★★ (1)	Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.
WB	★★★★★ (2)	1/2000. Predicted molecular weight: 55 kDa.

## 靶标

<b>功能</b>	Isoform 1 may possess glutaredoxin activity as well as thioredoxin reductase activity and induces actin and tubulin polymerization, leading to formation of cell membrane protrusions. Isoform 4 enhances the transcriptional activity of estrogen receptors alpha and beta while isoform 5 enhances the transcriptional activity of the beta receptor only. Isoform 5 also mediates cell death induced by a combination of interferon-beta and retinoic acid.
<b>组织特异性</b>	Isoform 1 is expressed predominantly in Leydig cells (at protein level). Also expressed in ovary, spleen, heart, liver, kidney and pancreas and in a number of cancer cell lines. Isoform 4 is widely expressed with highest levels in kidney, testis, uterus, ovary, prostate, placenta and fetal liver.
<b>序列相似性</b>	Belongs to the class-I pyridine nucleotide-disulfide oxidoreductase family. Contains 1 glutaredoxin domain.
<b>结构域</b>	The N-terminal glutaredoxin domain found in isoform 1 does not contain the C-P-Y-C redox-active motif normally found in glutaredoxins and has been found to be inactive in classical glutaredoxin assays.
<b>翻译后修饰</b>	The N-terminus of isoform 5 is blocked. ISGylated.
<b>细胞定位</b>	Cytoplasm and Cytoplasm. Nucleus.

## 图片



ab16840 at 1/2000 dilution staining human TXNRD1 in HeLa, Jurkat, and 293T lysates by Western blot.

Lane 1: HeLa cell lysates.

Lane 2: 293T cell lysates.

Lane 3: Jurkat cell lysates.

ab16840 at 1/2000 dilution staining human TXNRD1 in HeLa, Jurkat, and 293T lysates by Western blot.

Lane 1: HeLa cell lysates.

Lane 2: 293T cell lysates.

Lane 3: Jurkat cell lysates.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors