# abcam

### Product datasheet

## Anti-UCP2 antibody ab97931

★★★★★ 5 Abreviews 29 References 2 图像

#### 概述

产品名称 Anti-UCP2抗体

描述 兔多克隆抗体to UCP2

宿主 Rabbit

经测试应用 适用于: IHC-P, WB 种属反应性

与反应: Human

预测可用于: Mouse, Rat, Hamster, Cat, Dog, Pig, Orangutan 4

免疫原 Synthetic peptide corresponding to Human UCP2 aa 250 to the C-terminus conjugated to keyhole

limpet haemocyanin.

(Peptide available as ab107707)

阳性对照 This antibody gave a positive signal in Human Adipose and Spleen Tissue Lysates and FFPE

human lymph node tissue sections.

常规说明 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

> Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising

agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

1

纯**度** Immunogen affinity purified

#### 应用

#### The Abpromise guarantee Abpromise™承诺保证使用ab97931于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		Use a concentration of 5 $\mu$ g/ml. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.
WB	<b>★★</b> ★ ★ ★ <b>(4)</b>	Use at an assay dependent concentration. Detects a band of approximately 30 kDa (predicted molecular weight: 33 kDa).

#### 靶标

功能 UCP are mitochondrial transporter proteins that create proton leaks across the inner

mitochondrial membrane, thus uncoupling oxidative phosphorylation from ATP synthesis. As a

result, energy is dissipated in the form of heat.

组织特异性 Widely expressed in adult human tissues, including tissues rich in macrophages. Most expressed


in white adipose tissue and skeletal muscle.

序列相似性 Belongs to the mitochondrial carrier family.

Contains 3 Solcar repeats.

细**胞定位** Mitochondrion inner membrane.

#### 图片



**All lanes :** Anti-UCP2 antibody (ab97931) at 1 μg/ml

Lane 1: Human adipose normal tissue lysate - total protein

(ab28980)

Lane 2: Human spleen tissue lysate - total protein (ab29699)

Lysates/proteins at 10 µg per lane.

#### Secondary

All lanes: Goat Anti-Rabbit IgG H&L (HRP) preadsorbed

(ab97080) at 1/5000 dilution

Developed using the ECL technique.


Performed under reducing conditions.

**Predicted band size:** 33 kDa **Observed band size:** 30 kDa

Additional bands at: 100 kDa. We are unsure as to the identity of

these extra bands.

Exposure time: 3 minutes



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-UCP2 antibody (ab97931)

IHC image of ab97931 staining in human lymph node formalin fixed paraffin embedded tissue section, performed on a Leica Bond<sup>TM</sup> system using the standard protocol F. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH6, epitope retrieval solution 1) for 20 mins. The section was then incubated with ab97931, 5µg/ml, for 15 mins at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

For other IHC staining systems (automated and non-automated) customers should optimize variable parameters such as antigen retrieval conditions, primary antibody concentration and antibody incubation times.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors