abcam

Product datasheet

Anti-USP39 antibody ab101902

1 图像

概述

免疫原

产**品名称** Anti-USP39抗体

描述 兔多克隆抗体to USP39

宿主 Rabbit

经测试应用 适用于: WB

种属反应性 与反应: Human

预测可用于: Mouse, Rat, Zebrafish, Macaque monkey, Orangutan 4

Synthetic peptide corresponding to Human USP39 aa 450-550 conjugated to keyhole limpet

haemocyanin.

(Peptide available as ab115141)

阳性对照 This antibody gave a positive signal in the following cell lysates: HEK293; HeLa; HeLa Nuclear;

U20S: Jurkat.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

1

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab101902于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 70 kDa (predicted molecular weight: 65 kDa).

靶标

功能 May play a role in mRNA splicing. It is unsure if the protein really exhibits hydrolase activity. Could


be a competitor of ubiquitin C-terminal hydrolases (UCHs).

序列相似性 Belongs to the peptidase C19 family.

Contains 1 UBP-type zinc finger.

细胞定位 Nucleus.

图片



All lanes: Anti-USP39 antibody (ab101902) at 1 µg/ml

Lane 1 : HEK293 (Human embryonic kidney cell line) Whole Cell

Lysate

Lane 2 : HeLa (Human epithelial carcinoma cell line) Whole Cell

Lysate

Lane 3: HeLa (Human epithelial carcinoma cell line) Nuclear

Lysate

Lane 4: U2OS (Human osteosarcoma cell line) Whole Cell Lysate

Lane 5: Jurkat (Human T cell lymphoblast-like cell line) Whole Cell

Lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) preadsorbed (ab97080) at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 65 kDa **Observed band size:** 70 kDa

Additional bands at: 20 kDa, 22 kDa. We are unsure as to the

identity of these extra bands.

Exposure time: 8 minutes

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors