abcam

Product datasheet

Anti-VAP1 antibody [7-88] ab81673

7 References 1 图像

概述

产**品名称** Anti-VAP1抗体[7-88]

宿主 Rat

经测试应用 适用于: IHC-Fr **种属反应性 与反应:** Mouse

免疫原 Tissue, cells or virus corresponding to Mouse VAP1.

阳性对照 Mouse spleen Mouse VAP-1-transfected CHO cells

常规说明

Inhibits migration of granulocytes and monocytes in acute models of inflammation.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 Constituents: 1% BSA, PBS

纯**度** Protein A purified

Primary antibody说明 Inhibits migration of granulocytes and monocytes in acute models of inflammation.

 克隆
 单克隆

 克隆编号
 7-88

 同种型
 IgG2b

The Abpromise guarantee

Abpromise™承诺保证使用ab81673于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
IHC-Fr		1/50.

靶标

功能 Cell adhesion protein that participates in lymphocyte recirculation by mediating the binding of

lymphocytes to peripheral lymph node vascular endothelial cells in an L-selectin-independent

fashion. Has a monoamine oxidase activity. May play a role in adipogenesis.

组织特异性 Strongly expressed on the high endothelial venules of peripheral lymph nodes and on hepatic

endothelia. Also highly expressed in appendix, lung and small intestine. Expressed also in

adipose tissue, in bone marrow, colon, heart, kidney, ovary, pancreas, placenta, prostate, skeletal

muscle, spleen and testis.

序列相似性 Belongs to the copper/topaquinone oxidase family.

翻译后修饰 Topaquinone (TPQ) is generated by copper-dependent autoxidation of a specific tyrosyl residue.

N- and O-glycosylated.

细胞定位 Membrane.

图片



Immunohistochemistry (Frozen sections) - Anti-VAP1 antibody [7-88] (ab81673)

ab81673 staining VAP1 in mouse muscle tissue by Immunohistochemistry (Frozen sections).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors