


### Anti-ZFP64 antibody ab117787

#### 2 图像

#### 概述

---

产品名称	Anti-ZFP64抗体
描述	兔多克隆抗体to ZFP64
宿主	Rabbit
经测试应用	适用于: WB, IP
种属反应性	与反应: Mouse, Human 预测可用于: Rat, Rabbit, Guinea pig, Cow, Dog, Pig, Chimpanzee, Ferret, Rhesus monkey, Gorilla, Orangutan 
免疫原	Synthetic peptide corresponding to Human ZFP64 aa 400-500. Database link: <a href="#">Q9NTW7</a>
阳性对照	Jurkat, HeLa, 293T and NIH 3T3 whole cell lysates.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

---

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 6.8 Preservative: 0.09% Sodium azide Constituents: 99% Tris buffered saline, 0.1% BSA
纯度	Immunogen affinity purified
纯化说明	ab117787 was affinity purified using an epitope specific to ZFP64 immobilized on solid support.
克隆	多克隆
同种型	IgG

## 应用

### The Abpromise guarantee

**Abpromise™** 承诺保证使用 ab117787 于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		1/2000 - 1/10000. Predicted molecular weight: 74 kDa.
IP		Use at 2-10 µg/mg of lysate.

## 靶标

**相关性** ZFP64 belongs to the krueppel C<sub>2</sub>H<sub>2</sub>-type zinc-finger protein family. It contains 9 C<sub>2</sub>H<sub>2</sub>-type zinc fingers and may be involved in transcriptional regulation.

**细胞定位** Nuclear

## 图片



Western blot - Anti-ZFP64 antibody (ab117787)

**All lanes :** Anti-ZFP64 antibody (ab117787) at 0.04 µg/ml

**Lane 1 :** 293T whole cell lysates at 50 µg

**Lane 2 :** 293T whole cell lysates at 15 µg

**Lane 3 :** Jurkat whole cell lysates at 50 µg


**Lane 4 :** HeLa whole cell lysates at 50 µg

**Lane 5 :** NIH 3T3 whole cell lysates at 50 µg

Developed using the ECL technique.

**Predicted band size:** 74 kDa

**Exposure time:** 3 minutes



Immunoprecipitation - Anti-ZFP64 antibody (ab117787)

Detection of ZFP64 by Western Blot of Immunoprecipitate.

ab117787 at 1µg/ml staining ZFP64 in 293T whole cell lysate immunoprecipitated using ab117787 at 6µg/mg lysate (1 mg/IP; 20% of IP loaded/lane).

Detection: Chemiluminescence with exposure time of 30 seconds.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors