


# Anti-ZNF148 antibody ab69933

★★★★★ [1 Abreviews](#) [9 References](#) [2 图像](#)

### 概述

产品名称	Anti-ZNF148抗体
描述	兔多克隆抗体to ZNF148
宿主	Rabbit
经测试应用	适用于: WB, IHC-P
种属反应性	与反应: Human 预测可用于: Rat 
免疫原	Synthetic peptide (Human) from an internal region
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	<p>pH: 7.40</p> <p>Preservative: 0.02% Sodium azide</p> <p>Constituents: 0.87% Sodium chloride, 50% Glycerol (glycerin, glycerine), PBS</p> <p>Without Mg2+ and Ca2+</p>
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

### 应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab69933于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/1000. Detects a band of approximately 89 kDa (predicted molecular weight: 89 kDa).
IHC-P	★★★★★ (1)	1/50 - 1/100.

靶标

功能	Involved in transcriptional regulation. Represses the transcription of a number of genes including gastrin, stromelysin and enolase. Binds to the G-rich box in the enhancer region of these genes.
序列相似性	Belongs to the krueppel C2H2-type zinc-finger protein family. Contains 4 C2H2-type zinc fingers.
细胞定位	Nucleus.


图片



Peptide                      -                      +

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ZNF148 antibody (ab69933)

Immunohistochemical analysis of paraffin embedded human brain tissue using ab69933 at 1/50 dilution. Right panel was treated with immunising peptide.



**All lanes :** Anti-ZNF148 antibody (ab69933) at 1/500 dilution

**Lane 1 :** HepG2 cell extract

**Lane 2 :** HepG2 cell extract with immunising peptide at 10 µg

Lysates/proteins at 30 µg per lane.

**Predicted band size:** 89 kDa

**Observed band size:** 89 kDa

**Additional bands at:** 95 kDa. We are unsure as to the identity of these extra bands.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors