

# Anti-ZNF468 antibody ab88862

## 3 图像

### 概述

---

产品名称	Anti-ZNF468抗体
描述	小鼠多克隆抗体to ZNF468
宿主	Mouse
经测试应用	适用于: WB, ICC/IF
种属反应性	与反应: Human
免疫原	Recombinant full length protein within Human ZNF468. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please <b>contact</b> our Scientific Support team to discuss your requirements.
阳性对照	Human pancreas tissue lysate, ZNF468 transfected 293T cell line lysate and HepG2 cells.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 性能

---

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.40 Constituent: 100% PBS
纯度	Protein A purified
克隆	多克隆
同种型	IgG

### 应用

---

## The Abpromise guarantee

**Abpromise™** 承诺保证使用 ab88862 于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度；实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		Use a concentration of 1 µg/ml. Predicted molecular weight: 60 kDa.
ICC/IF		Use a concentration of 10 µg/ml.

## 靶标

**相关性** ZNF468 belongs to the PtdIns transfer protein family, Class IIB subfamily. Its function is to mediate the monomeric transport of lipids by shielding a lipid from the aqueous environment and binding the lipid in a hydrophobic cavity. Ubiquitously expressed. There are two named isoforms.

**细胞定位** Nuclear

## 图片




Anti-ZNF468 antibody (ab88862) at 1 µg/ml + Human pancreas tissue lysate at 50 µg

**Predicted band size:** 60 kDa

**Observed band size:** 54 kDa

**Additional bands at:** 49 kDa, 70 kDa. We are unsure as to the identity of these extra bands.



**All lanes :** Anti-ZNF468 antibody (ab88862) at 1 µg/ml


**Lane 1 :** ZNF468 transfected 293T cell line lysate

**Lane 2 :** Non-transfected lysate

Lysates/proteins at 25 µg per lane.

**Predicted band size:** 60 kDa

**Observed band size:** 48 kDa



ab88862, at 10 µg/ml staining ZNF468 in HepG2 cells by Immunofluorescence.

Immunocytochemistry/ Immunofluorescence - Anti-ZNF468 antibody (ab88862)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors