

Immunoassay Blocking (BSA Free) ab171535

6 References [1 图像](#)

概述

产品名称	Immunoassay Blocking (BSA Free)
经测试应用	<p>适用于: ELISA</p> <p>不适用于: IHC-Fr or IHC-P</p>
常规说明	<p>Abcam's Immunoassay Blocking (BSA Free) (ab171535) maintains the activity of antibodies and other biomolecules adsorbed or immobilized to solid substrates. It is easily incorporated into most assay protocols as the blocking solution, and minimal incubation is required. For blocking nonspecific sites on hydrophobic substrates, incubate for as little as five minutes and then proceed with your assay. Longer incubation times, while not necessary, are also not detrimental. For simultaneous blocking and stabilizing, apply ab171535 and incubate. Remove excess solution and completely dry the component. For maximum shelf life, store the stabilized component in a sealed container with desiccant.</p> <p>To Stabilize Adsorbed or Immobilized Proteins on Microtiter Plates/Strips</p> <ol style="list-style-type: none"> 1. For optimal stability and performance, use ab171535 at 100% concentration 2. Immobilize or adsorb the primary protein (antibody or antigen) according to the procedure optimized in your laboratory; wash adequately to remove excess or weakly bound material 3. Immediately after washing, add ab171535 to allow interaction with the entire protein-coated surface; do not let coated components dry before adding ab171535 since drying contributes to the loss of protein activity 4. Incubate for five minutes to two hours at room temperature; for most assays, ab171535 can replace the blocking solution 5. Remove or aspirate ab171535, but do not wash 6. To dry components for long-term storage, we recommend one of the following methods: <ul style="list-style-type: none"> – Option 1. Place plates in a humidity-controlled chamber until dry (2-24 hours) – Option 2. Dry 2 -24 hours in a sealed desiccated container, such as a cabinet, jar, or plastic bag containing calcium sulfate or silica gel desiccant in amounts adequate for the size of the container, or – Option 3. Dry plates at 30°C-40°C in a vacuum oven for 2-4 hours <p>NOTE: Drying times should be optimized for each application</p> <ol style="list-style-type: none"> 7. Immediately package the dried product in an airtight, moisture-proof container with a desiccant; this is especially important with the final product is stored in a humid environment or refrigerated where condensation is likely to occur

性能

形式	Liquid
存放说明	Store at room temperature.
存储溶液	pH: 7.00 Constituents: 10% Sucrose, 1% Sodium chloride

应用


The Abpromise guarantee **Abpromise™**承诺保证使用ab171535于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ELISA		Use at an assay dependent concentration.

应用说明 Is unsuitable for IHC-Fr or IHC-P.

图片



Stability tests were performed with Immunoassay Blocking (BSA Free) (ab171535) using either monoclonal or polyclonal IgG antibodies.

Coated microtiter plates were stabilized with either ab171535 or 1% BSA. The antibody-coated plates were dried and placed at room temperature. Percent retained activity was determined by comparing the activity of the aged antibody-coated microtiter plates to that of freshly coated plates.

After 30 months in Immunoassay Blocking (BSA Free) (ab171535) at room temperature, the monoclonal antibody retained greater than 85% activity and the polyclonal antibody retained 90% activity.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors