abcam

Product datasheet

Protein G Agarose (High Affinity) ab193258

4 References

概述

产品名称 蛋白G Agarose (High Affinity)

样品类型 Cell culture supernatant, Serum, Cell culture media, Ascites Fluid

产品概述 Very high binding capacity (>30 mg lgG/mL). Minimal leaching of ligand. Suitable for column or

batch purification of $\lg G$, immunoprecipitation & ChIP (ab193258).

Contents:

Supplied as 50% slurry in 20% Ethanol.

Features:

High binding capacity: Binding of lgG ≥ 30 mg human or rabbit lgG/mL Protein G Agarose.

Minimal leaching of the ligand

Flow Rate Tested*: 2.89 mL/min.

*Test condition: = Calculations based on the time required to pass 18 mL of water through 2 mL settled beads (column diameter 1.5 cm).

Maximum Flow Rate**: 1800 cm/hr; minimum leaching of recombinant Protein G.

**NOTE: the highest flow that beads withstand for 1 minute, without collapsing and the pressure reaching 1 MPa.

Usage:Reusable for up to 10 times without significant loss of binding capacity.

These beads are for use in column purification. If used in batch purification, we recommend not exceeding 150 \times g when centrifuging.

Store beads at 4°C.

The beads may be damaged above 40°C.

DO NOT FREEZE.

Wash beads 3 times with 3x bead volume of desired buffer before use.

Applications:

- Purification of monoclonal and polyclonal antibodies from culture media, serum, ascites fluid or hybridoma supernatants.
- Isolation of antibody/antigen complexes in immunoprecipitation experiments, since only the Fc region is involved in antibody binding and the Fab region is available for binding antigen.

This product is manufactured by BioVision, an Abcam company and was previously called 6513 Hi-Bind™ Protein G-Agarose. 6513-5 is the same size as the 5 ml size of ab193258.

Protein G Agarose (High Affinity) beads are specially prepared for high $\lg G$ binding by covalently coupling recombinant Protein G to 6% cross-linked agarose beads, the most popular resin for protein affinity purification methods. Protein G is a genetically engineered protein containing three $\lg G$ -binding regions of native Protein G. The cell wall binding region, albumin binding region and other non-specific regions have been eliminated from the recombinant Protein G to ensure maximum specific $\lg G$ binding. The coupling technique is optimized to give a higher binding capacity for $\lg G$ and minimum leaching of recombinant Protein G than standard Protein G agarose beads. The $\lg G$ binding capacity of Protein G Agarose (High Affinity) is ≥ 30 mg of human or rabbit $\lg G$ per mL of wet beads. The Protein G Agarose (High Affinity) beads display high chemical and physical stability, as well as high flow rate, hydrophilicity and high g strength.

经测试应用 适用于: IP, Purification

性能

存放说明

Store at +4°C. Please refer to protocols.

组件	100 ml	25 ml	5 ml	1 ml
Hi-Bind™ Protein G-Agarose	1 x 100ml	1 x 25ml	1 x 5ml	1 x 1ml

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab193258于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IP		Use at an assay dependent concentration. Isolation of antibody/antigen complexes in immunoprecipitation experiments, since only the Fc region is involved in antibody binding and the Fab region is available for binding antigen.
Purification		Use at an assay dependent concentration. Purification of monoclonal and polyclonal antibodies from culture media, serum, ascites fluid or hybridoma supernatants.

说明

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors