

Goat Anti-Rat IgG H&L (Cy5 ®) preadsorbed ab6565

33 References 1 图像

概述	
产品名称	山羊抗大鼠IgG H&L (Cy5 ®)预吸附二抗
宿主	Goat
靶标种属	Rat
经测试应用	适用于: ICC, Flow Cyt, ICC/IF, ELISA, IHC-P, IHC-Fr
最小交叉反应	Chicken, Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rabbit, Sheep more details
免疫原	Rat IgG, whole molecule (H&L)
偶联物	Cy5 ®. Ex: 650nm, Em: 667nm
性能	
形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	pH: 6.5 Preservative: 0.01% Sodium azide Constituents: 0.88% Sodium chloride, 1% BSA, 0.424% Tripotassium orthophosphate
纯度	Immunogen affinity purified
纯化说明	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities.
共轭说明	Cy5.29 (Cyanine 5.29-OSu) (Molecular Weight 975 daltons) Absorption Wavelength: 650 nm Emission Wavelength: 667 nm Fluorochrome/Protein Ratio: 6.0 moles Cy5 per mole of Goat IgG
克隆	多克隆
同种型	IgG
常规说明	This product or portions thereof is manufactured under license from Carnegie Mellon University under U.S. Patent Number 5,268,486 and related patents. Cy and CyDye are trademarks of GE Healthcare Limited. This material is also subject to proprietary rights of GE Healthcare Bio-Sciences Corp. and Carnegie Mellon University and made and sold under License from GE Healthcare Bio-Sciences Corp. This product is licensed for sale only for research. It is NOT licensed for any other use. There is no implied license hereunder for any commercial use. COMMERCIAL USE shall include: 1 Sale, lease, license or other transfer of the material or any

material derived or produced from it. 2 Sale, lease, license or other grant of rights to use this material or any material derived or produced from it. 3 Use of this material to perform services for a fee for third parties. If you require a commercial license to use this material and do not have one, please return this material, unopened to Abcam Plc of 330 Cambridge Science Park, Cambridge, CB4 0FL, and any money paid for the material will be refunded.

This secondary antibody is specifically designed for the detection of multiple primary antibodies (polyclonal or monoclonal) of different host species in experiments where cells are simultaneously labeled without unwanted cross reaction.


应用

The Abpromise guarantee **Abpromise™** 承诺保证使用 ab6565 于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab 评论	说明
ICC		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent dilution.
ICC/IF		1/1000 - 1/5000.
ELISA		1/10000 - 1/50000.
IHC-P		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.

图片



Immunocytochemistry/ Immunofluorescence - Goat
Anti-Rat IgG H&L (Cy5®) preadsorbed (ab6565)

ab6565 was used at dilution 1/500 with the primary antibody **ab6161** in ICC/IF. See the review on **ab6161**.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors