

Anti-HIV2 gp36 antibody [3B10/G2] ab18628

概述

产品名称	Anti-HIV2 gp36抗体[3B10/G2]
描述	小鼠单克隆抗体[3B10/G2] to HIV2 gp36
宿主	Mouse
经测试应用	适用于: ELISA, WB
种属反应性	与反应: HIV-2
免疫原	HIV2 recombinant antigen 00114-V.
表位	Recognition epitope resides between amino acid residues 390a.a.-702 a.a. of HIV gp36 antigen.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 7.2 Preservative: 0.01% Sodium azide Constituent: PBS
纯度	Protein G purified
克隆	单克隆
克隆编号	3B10/G2
同种型	IgG2a

应用

The Abpromise guarantee

Abpromise™ 承诺保证使用ab18628于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ELISA		1/500.
WB		1/1000. Predicted molecular weight: 34 kDa.

靶标

相关性 HIV2 infections at present, are predominantly found in west Africa where it is the dominant form of HIV. Both HIV1 and HIV2 have the same modes of transmission and are associated with similar opportunistic infections and AIDS. In persons infected with HIV2, immunodeficiency seems to develop more slowly and to be milder, but as the disease advances, HIV2 infectiousness seems to increase. Little is known about the best approach to the clinical treatment and care of patients infected with HIV2. Some drugs used to treat HIV1 are ineffective. HIV1 and HIV2 have similar gag (viral core) and pol (polymerase) regions, they have relatively dissimilar env (envelope) regions. Owing to this lack of homology in the envelope region, there is little serologic cross-reactivity of the antibodies directed against the envelope antigens of both HIV1 and HIV2. The env gp36 ectodomain is highly conserved and elicits a type-specific antibody response. Hence, most licensed diagnostic assays incorporate gp36-derived antigens to detect HIV2 specific antibodies. It is becoming important to differentiate between single infection with either HIV1 or HIV2 and dual infection.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors