


Product datasheet

# Anti-Heterogeneous Nuclear Ribonucleoprotein (A1-like) antibody ab50966

2 图像

概述

产品名称	Anti-Heterogeneous核Ribonucleoprotein (A1-like)抗体
描述	兔多克隆抗体to Heterogeneous核Ribonucleoprotein (A1-like)
宿主	Rabbit
经测试应用	适用于: ELISA, WB, IHC-P
种属反应性	与反应: Human 预测可用于: Mouse, Rat, Cow, Dog, Pig, Chimpanzee 
免疫原	A region within synthetic peptide: MSKSASPKEP EQLRKLFIGG LSFETTDESL RSHFEQWGTL TDCVVMRDPN, corresponding to N terminal amino acids 1-50 of Human Heterogeneous Nuclear Ribonucleoprotein (A1-like) <a href="#">Run BLAST with ExPASy</a> <a href="#">Run BLAST with NCBI</a>
阳性对照	WB: Jurkat cell lysate. IHC-P: Human stomach tissue.

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
存储溶液	Preservative: 0.09% Sodium azide Constituents: 2% Sucrose, PBS
纯度	Protein A purified
克隆	多克隆
同种型	IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab50966** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab 评论	说明
ELISA		Use at an assay dependent concentration. Titre using peptide based assay: 1/312500.
WB		Use a concentration of 1.25 µg/ml. Detects a band of approximately 34 kDa (predicted molecular weight: 34 kDa). Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.
IHC-P		Use a concentration of 4 - 8 µg/ml.

## 靶标

**相关性** The function remains unknown.

## 图片



Western blot - Anti-Heterogeneous Nuclear Ribonucleoprotein (A1-like) antibody (ab50966)

**All lanes :** Anti-Heterogeneous Nuclear Ribonucleoprotein (A1-like) antibody (ab50966) at 1.25 µg/ml

**Lane 1 :** MW marker

**Lane 2 :** Jurkat cell lysate


Lysates/proteins at 10 µg per lane.

### Secondary

**Lane 2 :** HRP conjugated anti-Rabbit IgG at 1/50000 dilution

**Predicted band size:** 34 kDa

**Observed band size:** 34 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Heterogeneous Nuclear Ribonucleoprotein (A1-like) antibody (ab50966)

ab50966, at a concentration of 8 $\mu$ g/ml, staining Heterogeneous Nuclear Ribonucleoprotein (A1-like) in paraffin embedded human stomach tissue sections. The positive cells (indicated by arrows) are epithelial cells of fundic glands.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors