


Product datasheet

Anti-Neurofascin antibody ab90979

1 图像

概述

产品名称	Anti-Neurofascin抗体
描述	兔多克隆抗体to Neurofascin
宿主	Rabbit
经测试应用	适用于: WB
种属反应性	与反应: Mouse, Rat 预测可用于: Human 
免疫原	Synthetic peptide conjugated to KLH derived from within residues 1000 - 1100 of Human Neurofascin.参阅Abcam的专有抗源政策
阳性对照	This antibody gave a positive signal in the following tissue lysates: Rat Brain; Mouse Brain; Mouse Spinal Cord.

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	Preservative: 0.02% Sodium Azide Constituents: 1% BSA, PBS, pH 7.4
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab90979** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB		Use a concentration of 1 mg/ml. Detects a band of approximately 225 kDa (predicted molecular weight: 138 kDa).

## 靶标


---

功能	Cell adhesion, ankyrin-binding protein which may be involved in neurite extension, axonal guidance, synaptogenesis, myelination and neuron-glia cell interactions.
序列相似性	Belongs to the immunoglobulin superfamily. L1/neurofascin/NgCAM family. Contains 5 fibronectin type-III domains. Contains 6 Ig-like C2-type (immunoglobulin-like) domains.
细胞定位	Cell membrane.

---

## 图片

---



Western blot - Anti-Neurofascin antibody (ab90979)

**All lanes :** Anti-Neurofascin antibody (ab90979) at 1 µg/ml

**Lane 1 :** Brain (Rat) Tissue Lysate (ab7942)

**Lane 2 :** Brain (Mouse) Tissue Lysate (ab27253)

**Lane 3 :** Spinal Cord (Mouse) Tissue Lysate (ab50253)

Lysates/proteins at 10 µg per lane.

### Secondary

**All lanes :** Goat polyclonal to Rabbit IgG - H&L - Pre-Adsorbed (HRP) (ab65484) at 1/3000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

**Predicted band size:** 138 kDa

**Observed band size:** 225 kDa

**Additional bands at:** 32 kDa, 85 kDa. We are unsure as to the identity of these extra bands.

**Exposure time:** 20 minutes

We hypothesize that the observed bands at 225 kDa correspond to the glycosylated form of Neurofascin. Abcam welcomes customer feedback.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors