

## Product datasheet

# Anti-ZNF266 antibody ab33005

★★★★★ 1 Abreviews 3 图像

### 概述

产品名称	Anti-ZNF266抗体
描述	兔多克隆抗体to ZNF266
宿主	Rabbit
经测试应用	适用于: ELISA, WB, IHC-P
种属反应性	与反应: Human
免疫原	<p>Synthetic peptide within Human ZNF266 aa 27-76 (N terminal). The exact sequence is proprietary.</p> <p>Sequence:</p> <p>EESRTVQRGDFQASEWKVQLKTKELALQQDVLGEPTSSGIQMIGSHNGGE</p> <p>Database link: <a href="#">Q14584</a></p> <p style="text-align: right;"> <a href="#">Run BLAST with</a> <a href="#">Run BLAST with</a> </p>
阳性对照	HepG2 cell lysate, Human cerebellum.

### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	<p>Preservative: 0.09% Sodium azide</p> <p>Constituents: 2% Sucrose, PBS</p>
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

### 应用

Our [Abpromise guarantee](#) covers the use of **ab33005** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
ELISA		1/1.5625e+006.
WB	★★★★★	Use a concentration of 0.5 µg/ml. Predicted molecular weight: 62 kDa. Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.
IHC-P		Use at an assay dependent concentration.

## 靶标

功能	May be involved in transcriptional regulation.
序列相似性	Belongs to the krueppel C2H2-type zinc-finger protein family. Contains 14 C2H2-type zinc fingers. Contains 1 KRAB domain.
细胞定位	Nucleus.

## 图片




Anti-ZNF266 antibody (ab33005) at 0.5 µg/ml  
+ HepG2 cell lysate

### Secondary


HRP conjugated anti-Rabbit IgG 1: 50,000 -  
100,000

**Predicted band size:** 62 kDa

**Observed band size:** 62 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human cerebellum tissue labelling ZNF266 with ab33005 at 4-8µg/ml. Arrows indicate positively labelled purkinje cells.



Anti-ZNF266 antibody (ab33005) at 1/1000 dilution + Lysates were prepared from human HepG2 cells at 25 µg

#### **Secondary**

HRP-conjugated goat polyclonal to rabbit IgG at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

**Predicted band size:** 62 kDa

**Observed band size:** 25 kDa

**Exposure time:** 2 minutes

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

#### **Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

#### **Terms and conditions**

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors