

Product datasheet

Anti-ZNF580 antibody ab59015

1 References 2 图像

概述

| | |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 产品名称 | Anti-ZNF580抗体 |
| 描述 | 兔多克隆抗体to ZNF580 |
| 宿主 | Rabbit |
| 经测试应用 | 适用于: WB, IHC-P |
| 种属反应性 | 与反应: Human 预测可用于: Mouse, Rat, Guinea pig, Cow, Dog |
| 免疫原 | A region within synthetic peptide: PPPPKAPPFP KAEGPSSTPS SAAGPRPPRL GRHLLIDANG VPYTYTVQLE, corresponding to amino acids 21-70 of Human ZNF580 Run BLAST with ExPASy Run BLAST with NCBI |
| 阳性对照 | Jurkat cell lysate, Human stomach tissue. |

性能

| | |
|------|---------------------------------------------------------------------------------------|
| 形式 | Liquid |
| 存放说明 | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| 存储溶液 | Preservative: 0.09% Sodium azide Constituents: 2% Sucrose, PBS |
| 纯度 | Immunogen affinity purified |
| 克隆 | 多克隆 |
| 同种型 | IgG |

应用

Our [Abpromise guarantee](#) covers the use of **ab59015** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| 应用 | Ab 评论 | 说明 |
|----|-------|----|
| | | |

| 应用 | Ab 评论 | 说明 |
|----|-------|----|
|----|-------|----|

WB Use a concentration of 1 µg/ml. Detects a band of approximately 19 kDa (predicted molecular weight: 19 kDa). Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.

IHC-P Use a concentration of 4 - 8 µg/ml.


靶标

功能 May be involved in transcriptional regulation.

序列相似性 Contains 3 C2H2-type zinc fingers.

细胞定位 Nucleus.

图片



Anti-ZNF580 antibody (ab59015) at 1 µg/ml +
Jurkat cell lysate at 10 µg/ml


Secondary

HRP conjugated anti-Rabbit IgG at 1/50000
dilution

Predicted band size: 19 kDa

Observed band size: 19 kDa

Diluted in 5% skim milk / PBS buffer; gel
concentration 15%



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ZNF580 antibody (ab59015)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human stomach tissue labelling ZNF580 with ab59015 at 4-8 μ g/ml. Arrows indicate positively labelled epithelial cells of the fundic gland. Magnification: 400X.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors