

Product datasheet

Anti-ANKRD53 antibody [1A7] ab124035

5 图像

概述

产品名称	Anti-ANKRD53抗体[1A7]
描述	小鼠单克隆抗体[1A7] to ANKRD53
宿主	Mouse
经测试应用	适用于: WB, IHC-P, Flow Cyt, ICC/IF
种属反应性	与反应: Human
免疫原	Recombinant fragment, corresponding to amino acids 1-300 of Human ANKRD53 produced in E.coli (NP_079209).
阳性对照	HEK293T cell lysate transfected with pCMV6-ENTRY ANKRD53 cDNA; Human lymph node and lymphoma tissues; COS7 cells transiently transfected with pCMV6-ENTRY ANKRD53; HEK293T cells transfected with an ANKRD53 overexpress plasmid
常规说明	Dilute in PBS (pH7.3) before use. Stable for 12 months from date of receipt.

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 48% PBS, 50% Glycerol, 1% BSA
纯度	Protein A purified
纯化说明	ab124035 was purified from mouse ascites fluids by affinity chromatography.
克隆	单克隆
克隆编号	1A7
同种型	IgG2b

应用

Our [Abpromise guarantee](#) covers the use of **ab124035** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


应用	Ab评论	说明
WB		1/1000 - 1/2000. Predicted molecular weight: 60 kDa.
IHC-P		1/150.
Flow Cyt		1/100. ab170192 - Mouse monoclonal IgG2b, is suitable for use as an isotype control with this antibody.
ICC/IF		1/100.

靶标

序列相似性

Contains 3 ANK repeats.

图片



All lanes : Anti-ANKRD53 antibody [1A7] (ab124035) at 1/1000 dilution


Lane 1 : HEK293T cell lysate transfected with pCMV6-ENTRY control

Lane 2 : HEK293T cell lysate transfected with pCMV6-ENTRY ANKRD53 cDNA

Lysates/proteins at 5 µg per lane.


Predicted band size: 60 kDa

HEK293T cell lysates were generated from transient transfection of the cDNA clone (RC205243)




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ANKRD53 antibody [1A7] (ab124035)

ab124035, at 1/150 dilution, staining ANKRD53 in paraffin-embedded Human lymph node tissue by Immunohistochemistry.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ANKRD53 antibody [1A7] (ab124035)

ab124035, at 1/150 dilution, staining ANKRD53 in paraffin-embedded Human lymphoma tissue by Immunohistochemistry.



Immunocytochemistry/ Immunofluorescence - Anti-ANKRD53 antibody [1A7] (ab124035)

ab124035, at 1/100 dilution, staining ANKRD53 in COS7 cells transiently transfected with pCMV6-ENTRY ANKRD53 by Immunofluorescence.



Flow Cytometry - Anti-ANKRD53 antibody [1A7] (ab124035)

ab124035, at 1/100 dilution, staining ANKRD53 in HEK293T cells transfected with an ANKRD53 overexpress plasmid (Red) or empty vector control plasmid (Blue) by Flow cytometry

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors