abcam

Product datasheet

DNQX, AMPA / kainate antagonist ab120018

45 References 2 图像

概述

产品名称 DNQX, AMPA / kainate拮抗剂

描述 AMPA / kainate拮抗剂

生物学描述 AMPA / kainate antagonist

CAS编号 2379-57-9

化学结构

0₂N N N O

性能

化学名称 6,7-Dinitroguinoxaline-2,3-dione

分子量252.14分子式C₈H₄N₄O₆

PubChem识别号 3899541

存放说明 Store at +4°C. Store under desiccating conditions. The product can be stored for up to 12

months.

溶解度概述 Soluble in DMSO to 100 mM

处理 Wherever possible, you should prepare and use solutions on the same day. However, if you need

to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20 °C. Generally, these will be useable for up to one month. Before use, and

prior to opening the vial we recommend that you allow your product to equilibrate to room

temperature for at least 1 hour.

Refer to SDS for further instruction.

Need more advice on solubility, usage and handling? Please visit our frequently asked

questions (FAQ) page for more details.

SMILES [O-][N+](=O)c1cc2NC(=O)C(=O)Nc2cc1[N+]([O-])=O

来源 Synthetic

-- m


The Abpromise guarantee

Abpromise™承诺保证使用ab120018于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说 明
Functional Studies		Use at an assay dependent concentration.


图片



antagonist

2D chemical structure image of ab120018, DNQX, AMPA / kainate

Chemical Structure - DNQX, AMPA / kainate antagonist (ab120018)



Functional Studies - DNQX, AMPA / kainate antagonist (ab120018)

<u>ab96379</u> staining MEK1 (phospho S298) in SK-N-SH cells treated with DNQX (ab120018), by ICC/IF. Decrease in MEK1 (phospho S298) expression correlates with increased concentration of DNQX, as described in literature.

The cells were incubated at 37°C for 1h in media containing different concentrations of ab120018 (DNQX) in DMSO, fixed with 4% formaldehyde for 10 minutes at room temperature and blocked with PBS containing 10% goat serum, 0.3 M glycine, 1% BSA and 0.1% tween for 2h at room temperature. Staining of the treated cells with ab96379 (1/100 dilution) was performed overnight at 4°C in PBS containing 1% BSA and 0.1% tween. A DyLight 488 goat antirabbit polyclonal antibody (ab96899) at 1/250 dilution was used as the secondary antibody.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team