


# Ifenprodil hemitartrate, GluN2B (formerly NR2B)-preferring NMDA antagonist ab120111

11 References 2 图像

## 概述

产品名称	Ifenprodil hemitartrate, GluN2B (formerly NR2B)-preferring NMDA拮抗剂
描述	GluN2B (formerly NR2B)-preferring NMDA拮抗剂
生物学描述	Non-competitive NMDA receptor antagonist acting at the polyamine site. Displays GluN2B (formerly NR2B) subunit selectivity. IC <sub>50</sub> values are 0.15 μM at NR1/NR2B and >30 μM for NR1/NR2A, NR1/NR2C and NR1/NR2D receptors.  Also available in simple stock solutions ( <a href="#">ab146675</a> ) - add 1 ml of water to get an exact, ready-to-use concentration.
CAS编号	23210-58-4
化学结构	

## 性能

化学名称	<i>erythro</i> -4-(2-(4-Benzylpiperidin-1-yl)-1-hydroxypropyl)phenol hemitartrate
分子量	400.49
分子式	C <sub>21</sub> H <sub>27</sub> NO <sub>2</sub> ·0.5C <sub>4</sub> H <sub>6</sub> O <sub>6</sub>
PubChem识别号	656586
存放说明	Store at +4°C. Store under desiccating conditions. The product can be stored for up to 12 months.
溶解度概述	Soluble in water to 15 mM and in DMSO to 100 mM
处理	Wherever possible, you should prepare and use solutions on the same day. However, if you need to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one month. Before use, and prior to opening the vial we recommend that you allow your product to equilibrate to room temperature for at least 1 hour.  Refer to SDS for further information

Need more advice on solubility, usage and handling? Please visit our [frequently asked questions \(FAQ\) page](#) for more details.


## SMILES

CC(C(C1=CC=C(C=C1)O)O)N2CCC(CC2)CC3=CC=CC=C3.CC(C(C1=CC=C(C=C1)O)O)N2CCC(CC2)CC3=CC=CC=C3.[C@@H]([C@H](C(=O)O)O)(C(=O)O)O

## 来源


Synthetic

## 图片



2D chemical structure image of ab120111, ifenprodil hemitartrate, GluN2B (formerly NR2B)-preferring NMDA antagonist

Chemical Structure - Ifenprodil hemitartrate, GluN2B (formerly NR2B)-preferring NMDA antagonist (ab120111)



Median ifenprodil sensitivity from a rat postnatal day 2 (P2) and day 12 (P12) neuron; NMDAR-mediated responses in control (black) and in presence of the GluN2B-preferring antagonist ifenprodil (ab120111, grey).

Functional Studies - Ifenprodil hemitartrate, GluN2B (formerly NR2B)-preferring NMDA antagonist (ab120111)

Image from Case DT et al., PLoS One. 2011;6(6):e20756. Fig 4(D).; doi: 10.1371/journal.pone.0020756. Reproduced under the Creative Commons license <http://creativecommons.org/licenses/by/4.0/>

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team