

Antigen Retrieval Buffer (100X Tris Buffer, pH 10.0) ab93682

1 图像

概述

产品名称	Antigen Retrieval缓冲液(100X Tris缓冲液, pH 10.0)
经测试应用	适用于: IHC-P
常规说明	<p>Antigen Retrieval Buffer (100X Tris Buffer, pH 10.0) is a special solution that enables rehydrate and target retrieval in formalin-fixed, paraffin-embedded tissue sections in one step. It is optimal for use with primary antibodies that require Tris buffer (pH=10.0) pretreatment.</p> <p>This product contains detergent for emulsification of the paraffin.</p> <p>1X Dilution: The 100X stock solution should be diluted 100-fold with distilled water before use.</p> <p>PROTOCOL:</p> <p>Place slides in a Coplin jar containing 1x Target Retrieval Buffer; cover with a vented plastic wrap and place the jar in microwave and set high power to boil and set low power to keep it boiling for 10 min. Let the sections cool in the microwave for at least 20min.</p> <p>Wash sections with hot tap water for 1 minute.</p> <p>Wash sections in buffer for 2x3 minutes.</p> <p>Block endogenous peroxidase as usual.</p> <p>Wash sections in buffer for 2x3 minutes.</p> <p>Block non-specific sites with a Blocking reagent as usual.</p> <p>Place optimally diluted primary antibody on the sections (incubation time and temperature for a given set of experimental conditions should be determined by the investigator).</p> <p>Wash sections in buffer for 2x3 minutes</p> <p>Rest of the procedure is same as routinely performed in your laboratory.</p> <p>Other kits and reagents for IHC</p> <p>Other antigen retrieval buffers include: Citrate buffer pH 6.0 ab93678, EDTA buffer pH 8.0 ab93680, Tris-EDTA buffer pH 9.0 ab93684 or see the full list of antigen retrieval buffers and enzymes.</p> <p>Find more kits and reagents for antigen retrieval, blocking, signal amplification, visualization, counterstaining, and mounting in the IHC kits and reagents guide.</p>

性能

形式	Liquid
存放说明	Store at room temperature.
存储溶液	pH: 11

Constituents: 98.5% Tris buffer, 1.5% 2-butoxyethanol

Buffer 100x concentrated with detergent.


应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab93682于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		Use at an assay dependent dilution.

图片



ab93682 Antigen Retrieval Buffer 100X Tris Buffer, pH 10

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Antigen Retrieval Buffer (100X Tris Buffer, pH 10.0) (ab93682)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors