# abcam

### Product datasheet

# Human FZD2 (Frizzled 2) knockout HeLa cell lysate ab258426

#### 1 图像

#### 概述

产品概述

Knockout cell lysate achieved by CRISPR/Cas9.

Parental Cell Line HeLa
Organism Human

**Mutation description** Knockout achieved by using CRISPR/Cas9, 1 bp insertion in exon1.

Passage number <20

Knockout validation Sanger Sequencing

 $\label{eq:Reconstitution notes} \textbf{To use as WB control, resuspend the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the lyophilizate in 50 $\mu$L of LDS* Sample Buffer to have a final labeled and the labeled$ 

concentration of 2 mg/ml. For reducing conditions, we recommend a final concentration of 0.1 M

DTT.

\*Usage of SDS sample buffer is not recommended with these lyophilized lysates.

说明

**Lysate preparation:** Our lysates are made using RIPA buffer to which we add a protease inhibitor cocktail and phosphatase inhibitor cocktail (ratio: 300:100:10). *This means that the protein of interest is denatured.* If you require a native form of the protein please use the live cell version - found **here**. Please refer to our lysis protocol for further details on how our lysates are prepared.

**User storage instructions:** Lyophilizate may be stored at 4°C. After reconstitution, store at -20°C for short-term storage or -80°C for long-term storage.

Access thousands of knockout cell lysates, generated from commonly used cancer cell lines. See here for more information on knockout cell lysates.

Abcam has not and does not intend to apply for the REACH Authorisation of customers' uses of products that contain European Authorisation list (Annex XIV) substances.

It is the responsibility of our customers to check the necessity of application of REACH Authorisation, and any other relevant authorisations, for their intended uses.

This product is subject to limited use licenses from The Broad Institute, ERS Genomics Limited and Sigma-Aldrich Co. LLC, and is developed with patented technology. For full details of the licenses and patents please refer to our <u>limited use license</u> and <u>patent pages</u>.

## 存放说明

#### Store at -80°C. Please refer to protocols.

| 组件  | 1 kit     |
|---|-----------|
| ab262411 - Human FZD2 knockout HeLa cell lysate | 1 x 100µg |
| ab255929 - Human wild-type HeLa cell lysate     | 1 x 100µg |

**Cell type** epithelial

**Disease** Adenocarcinoma

**Gender** Female

**STR Analysis** Amelogenin X D5S818: 11, 12 D13S317: 12, 13.3 D7S820: 8, 12 D16S539: 9, 10 vWA: 16, 18

TH01: 7 TPOX: 8,12 CSF1PO: 9, 10

#### 靶标

功能 Receptor for Wnt proteins. Most of frizzled receptors are coupled to the beta-catenin canonical

signaling pathway, which leads to the activation of disheveled proteins, inhibition of GSK-3 kinase, nuclear accumulation of beta-catenin and activation of Wnt target genes. A second signaling pathway involving PKC and calcium fluxes has been seen for some family members, but it is not yet clear if it represents a distinct pathway or if it can be integrated in the canonical pathway, as PKC seems to be required for Wnt-mediated inactivation of GSK-3 kinase. Both pathways seem to involve interactions with G-proteins. May be involved in transduction and intercellular transmission of polarity information during tissue morphogenesis and/or in

differentiated tissues.

组织**特异性** Widely expressed. In the adult, mainly found in heart, placenta, skeletal muscle, lung, kidney,

pancreas, prostate, testis, ovary and colon. In the fetus, expressed in brain, lung and kidney. Low

levels in fetal liver.

序列相似性 Belongs to the G-protein coupled receptor Fz/Smo family.

Contains 1 FZ (frizzled) domain.

结**构域** Lys-Thr-X-X-Trp motif is involved in the activation of the Wnt/beta-catenin signaling pathway.

The FZ domain is involved in binding with Wnt ligands.

细胞定位 Membrane.

#### 图片

ut GGTGAGTAGCGCGGGAGCTCCGTCCTCGGAAGTGGTTCTGGCCGACGCAGATCTGCTCGG

T GGTGAGTAGCGCGGGAGCTCCGTCCTCGGA GTGGTTCTGGCCGACGCAGATCTGCTCGG

Sanger Sequencing - Human FZD2 knockout HeLa

cell lysate (ab258426)

Homozygous: 1 bp insertion in exon1

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors