abcam

Product datasheet

Alexa Fluor® 594 Anti-HP1 alpha antibody [EPR5777] -Heterochromatin marker ab203431





重组 RabMAb

3 图像

概述

产品名称 Alexa Fluor® 594荧光Anti-HP1 alpha抗体[EPR5777] - Heterochromatin marker

描述 Alexa Fluor® 594荧光兔单克隆抗体[EPR5777] to HP1 alpha - Heterochromatin marker

宿主 Rabbit

Alexa Fluor® 594, Ex: 590nm, Em: 617nm 偶联物

经测试应用 适用于: ICC/IF 种属反应性 与反应: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 ICC/IF: MCF7 and HAP1 cells.

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), PBS, 1% BSA

纯**度** Protein A purified

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab203431于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
ICC/IF		1/100 - 1/500.

靶标

功能 Component of heterochromatin that recognizes and binds histone H3 tails methylated at 'Lys-9'

(H3K9me), leading to epigenetic repression. In contrast, it is excluded from chromatin when 'Tyr-41' of histone H3 is phosphorylated (H3Y41ph). Can interact with lamin-B receptor (LBR). This interaction can contribute to the association of the heterochromatin with the inner nuclear membrane. Involved in the formation of functional kinetochore through interaction with MIS12

complex proteins.

序列相似性 Contains 2 chromo domains.

翻译后修饰 Phosphorylation of HP1 and LBR may be responsible for some of the alterations in chromatin

organization and nuclear structure which occur at various times during the cell cycle (By similarity).

Phosphorylated during interphase and possibly hyper-phosphorylated during mitosis.


Ubiquitinated.

细胞定位 Nucleus. Chromosome. Chromosome > centromere. Component of centromeric and

pericentromeric heterochromatin. Associates with chromosomes during mitosis. Associates

specifically with chromatin during metaphase and anaphase.

图片



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 594 Anti-HP1 alpha antibody [EPR5777] -Heterochromatin marker (ab203431)

DAPI

Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 594 Anti-HP1 alpha antibody [EPR5777] -Heterochromatin marker (ab203431)


ab203431 staining HP1 α in wild-type HAP1 cells (top panel) and HP1 α in wild-type HAP1 cells (bottom panel). The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated with ab203431 at 1/500 dilution (shown in pseudo colour red) and <u>ab7291</u> at 1 μ g/ml concentration overnight at +4°C, followed by a further incubation at room temperature for 1h with a goat secondary antibody to Mouse IgG (Alexa Fluor® 488) (<u>ab150117</u>) at 2 μ g/ml (shown in green). Nuclear DNA was labelled in blue with DAPI.

This product also gave a positive signal under the same testing conditions in HAP1 cells fixed with 4% formaldehyde (10 min).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8)

ab203431 staining HP1 in MCF7 cells. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab203431 at a 1/100 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor[®] 488), at a 1/250 dilution (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors