abcam

Product datasheet

Alexa Fluor® 647 Anti-ERK1 + ERK2 antibody [EPR17526] ab208881



重组 RabMAb

2 图像

概述

免疫原

常规说明

产品名称 Alexa Fluor® 647荧光Anti-ERK1 + ERK2抗体[EPR17526]

描述 Alexa Fluor® 647荧光兔单克隆抗体[EPR17526] to ERK1 + ERK2

宿主 Rabbit

偶联物 Alexa Fluor® 647. Ex: 652nm. Em: 668nm

经测试应用 适用干: ICC/IF 种属反应性 与反应: Human

预测可用于: Mouse, Rat 📤

Recombinant fragment within Human ERK1 + ERK2 aa 150 to the C-terminus. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please

contact our Scientific Support team to discuss your requirements.

Database link: P28482

Run BLAST with

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to

Run BLAST with

provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

纯**度** Protein A purified

克隆 单克隆

克隆编号 EPR17526

同种型 IgG

应用

The Abpromise guarantee Abpromis

Abpromise™承诺保证使用ab208881于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
ICC/IF		1/100. This product gave a positive signal in A431 cells fixed with 100% methanol (5 min)

靶标

功能

Involved in both the initiation and regulation of meiosis, mitosis, and postmitotic functions in differentiated cells by phosphorylating a number of transcription factors such as ELK1. Phosphorylates ElF4EBP1; required for initiation of translation. Phosphorylates microtubule-associated protein 2 (MAP2). Phosphorylates SPZ1 (By similarity). Phosphorylates heat shock factor protein 4 (HSF4) and ARHGEF2.

Acts as a transcriptional repressor. Binds to a [GC]AAA[GC] consensus sequence. Repress the expression of interferon gamma-induced genes. Seems to bind to the promoter of CCL5, DMP1, IFIH1, IFITM1, IRF7, IRF9, LAMP3, OAS1, OAS2, OAS3 and STAT1. Transcriptional activity is

independent of kinase activity.

序列相似性 Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. MAP kinase

subfamily.

Contains 1 protein kinase domain.

结**构域** The TXY motif contains the threonine and tyrosine residues whose phosphorylation activates the

MAP kinases.


翻译后修饰 Dually phosphorylated on Thr-185 and Tyr-187, which activates the enzyme. Dephosphorylated by

PTPRJ at Tyr-187.

细胞定位 Nucleus.


形式 Mainly expressed in the cytoplasm and only localizes to the nucleus with treatment.

图片



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-ERK1 + ERK2 antibody [EPR17526] (ab208881) ab208881 staining ERK1 + ERK2 in A431 cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3Mglycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab208881 at a 1/100 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at a 1/250 dilution (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Mcrosystems, TCS SP8).



[EPR17526] (ab208881)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors