# abcam

### Product datasheet

## Biotin Anti-CD4 antibody [MEM-241] ab28069

#### 2 References

#### 概述

产**品名称** 生物素Anti-CD4抗体[MEM-241]

描述 生物素小鼠单克隆抗体[MEM-241] to CD4

**宿主** Mouse 偶联物 Biotin

经测试应用适用于: Flow Cyt种属反应性与反应: Human

免疫原 CD4 fusion protein (Human).

常规说明 The purified antibody is conjugated with Biotin-LC-NHS under optimum conditions. The reagent is

free of unconjugated biotin.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

**存储溶液** pH: 7.40

Preservative: 0.097% Sodium azide

纯**度** Size exclusion

纯化说明 Purity >95% by SDS-PAGE.

 克隆
 单克隆

 克隆编号
 MEM-241

**同种型** lgG1

#### The Abpromise guarantee

Abpromise™承诺保证使用ab28069于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度:实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use at an assay dependent concentration. <b>ab18434</b> - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody.

#### 靶标

功能	Accessory protein for MHC class-II antigen/T-cell receptor interaction. May regulate T-cell activation. Induces the aggregation of lipid rafts.
序列相似性	Contains 3 lg-like C2-type (immunoglobulin-like) domains.
	Contains 1 lg-like V-type (immunoglobulin-like) domain.
翻译后修饰	Palmitoylation and association with LCK contribute to the enrichment of CD4 in lipid rafts.
细胞定位	Cell membrane. Localizes to lipid rafts. Removed from plasma membrane by HIV-1 Nef protein
	that increases clathrin-dependent endocytosis of this antigen to target it to lysosomal degradation.
	Cell surface expression is also down-modulated by HIV-1 Envelope polyprotein gp160 that
	interacts with, and sequesters CD4 in the endoplasmic reticulum.
	Cell surface expression is also down-modulated by HIV-1 Envelope polyprotein gp160 that

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors