

Anti-CIKS/ACT1 antibody ab5973

3 图像

概述

产品名称	Anti-CIKS/ACT1抗体
描述	兔多克隆抗体to CIKS/ACT1
宿主	Rabbit
经测试应用	适用于: ICC/IF, IHC-P, WB
种属反应性	与反应: Human
免疫原	Synthetic peptide corresponding to Human CIKS/ACT1 aa 554-568. Sequence: REEEYVAPPRGPLPT (Peptide available as ab6089 , ab6138) Run BLAST with Run BLAST with
阳性对照	WB: Human placental and lung tissue lysates. IHC-P: Humman lung tissue.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle. Stable for 12 months at -20°C.
存储溶液	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab5973于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		Use a concentration of 20 µg/ml.
IHC-P		Use a concentration of 5 µg/ml.
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 63 kDa (predicted molecular weight: 65 kDa).


靶标

功能	Could be involved in the activation of both NF-kappa-B via a NF-kappa-B inhibitor kinase (IKK)-dependent mechanism and stress-activated protein kinase (SAPK)/JNK.
组织特异性	Widely expressed.
序列相似性	Contains 1 SEFIR domain.

图片



Western blot analysis of CIKS/ACT1 expression in human placenta tissue lysate with ab5973 at 1 µg/ml. Western blot analysis of CIKS/ACT1 expression in human placenta tissue lysate with ab5973 at 1 µg/ml.



ab5973 at 5µg/ml staining CIKS/ACT1 human lung tissue by IHC.

Immunocytochemistry/ Immunofluorescence - Anti-
CIKS/ACT1 antibody (ab5973)

Immunofluorescence of CIKS/ACT1 in human Lung cells using
ab5973 at 20 µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors