

Anti-DAP3 antibody ab227257

3 图像

概述

产品名称	Anti-DAP3抗体
描述	兔多克隆抗体to DAP3
宿主	Rabbit
经测试应用	适用于: WB, ICC/IF, IHC-P
种属反应性	与反应: Mouse, Human
免疫原	Recombinant fragment within Human DAP3 (internal sequence). The exact sequence is proprietary. Database link: P51398
阳性对照	IHC-P: MDA-MB-231 xenograft tissue. WB: HepG2 whole cell lysate. ICC/IF: HeLa cells.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
存储溶液	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 1.21% Tris, 0.75% Glycine, 20% Glycerol (glycerin, glycerine)
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee


Abpromise™承诺保证使用ab227257于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/3000. Predicted molecular weight: 46 kDa.
ICC/IF		1/100 - 1/1000.
IHC-P		1/100 - 1/1000.

靶标	
功能	Involved in mediating interferon-gamma-induced cell death.
组织特异性	Ubiquitous.
细胞定位	Mitochondrion.

图片




Western blot - Anti-DAP3 antibody (ab227257)

Anti-DAP3 antibody (ab227257) at 1/1000 dilution + HepG2 (human liver hepatocellular carcinoma cell line) whole cell lysate at 30 µg


Predicted band size: 46 kDa

10% SDS-PAGE gel.



Immunocytochemistry/ Immunofluorescence - Anti-DAP3 antibody (ab227257)

Methanol-fixed HeLa (human epithelial cell line from cervix adenocarcinoma) cells stained for DAP3 (green) using ab227257 at 1/200 dilution in ICC/IF. Nuclear Counterstain: Hoechst 33342 (blue).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DAP3 antibody (ab227257)

Paraffin-embedded MDA-MB-231 xenograft tissue stained for DAP3 with ab227257 at 1/250 dilution in immunohistochemical analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors