

Anti-DARPP32 antibody [EP721Y] ab40802

重组 RabMAb

3 References **6 图像**

概述

产品名称	Anti-DARPP32抗体[EP721Y]
描述	兔单克隆抗体[EP721Y] to DARPP32
宿主	Rabbit
经测试应用	适用于: ICC/IF, WB, IHC-P, IP
种属反应性	与反应: Human
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性对照	Human brain lysate and human gastric adenocarcinoma. SH-SY5Y (human neuroblastoma) and human fetal forebrain tissue lysates.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p> <p>Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 0.11% BSA, 59% PBS
纯度	Protein A purified
克隆	单克隆

克隆编号 EP721Y

同种型 IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab40802于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		1/50 - 1/100.
WB		1/5000 - 1/50000. Detects a band of approximately 32 kDa (predicted molecular weight: 32 kDa). Unpurified format: 1/5,000 - 1/20,000
IHC-P		1/50 - 1/500. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
IP		1/50.

靶标


功能 Inhibitor of protein-phosphatase 1.

序列相似性 Belongs to the protein phosphatase inhibitor 1 family.

翻译后修饰 Dopamine- and cyclic AMP-regulated neuronal phosphoprotein.
Phosphorylation of Thr-34 is required for activity.

细胞定位 Cytoplasm.

图片



Western blot - Anti-DARPP32 antibody [EP721Y] (ab40802)


Anti-DARPP32 antibody [EP721Y] (ab40802) at 1/50000 dilution + Human brain tissue lysates. at 10 µg

Secondary

Anti-Rabbit IgG (HRP), specific to the non-reduced form of IgG at 1/10000 dilution

Predicted band size: 32 kDa


Additional bands at: 32 kDa. We are unsure as to the identity of these extra bands.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DARPP32 antibody [EP721Y] (ab40802)

ab40802 staining DARPP32 in human cerebral cortex tissue sections by Immunohistochemistry (IHC-P - paraformaldehyde-fixed, paraffin-embedded sections). Antigen retrieval was by heat mediation in a EDTA buffer. Samples were incubated with primary antibody at a dilution of 1/500. A goat anti-rabbit IgG H&L (HRP) **ab97051** was used as the secondary antibody.

Negative control 1: PBS in place of primary antibody.




Immunocytochemistry/ Immunofluorescence - Anti-DARPP32 antibody [EP721Y] (ab40802)

ab40802 staining DARPP32 in SH-SY5Y (human neuroblastoma) cells by ICC/IF (Immunocytochemistry/immunofluorescence). Cells were fixed with 100% methanol and permeabilized with 0.1% Triton X-100. Samples were incubated with primary antibody at a dilution of 1/100. A goat anti rabbit IgG (Alexa Fluor® 488) (**ab150077**) was used as the secondary antibody at a dilution of 1/1000. **ab7291** and **ab150120** were used as counterstains for primary antibody ab40802 and secondary antibody **ab150077** respectively and DAPI was used as a nuclear counterstain.


Negative control 1: Rabbit primary antibody and anti-mouse secondary antibody (**ab150120**)

Negative control 2: Mouse primary antibody (**ab7291**) and anti-rabbit secondary antibody (**ab150077**)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DARPP32 antibody [EP721Y] (ab40802)

Immunohistochemical analysis human gastric adenocarcinoma using ab40802. (dilution 1:250)



Immunoprecipitation - Anti-DARPP32 antibody [EP721Y] (ab40802)


ab40802 immunoprecipitating DARPP32. 10µg of cell lysate was incubated with primary antibody at a dilution of 1/50 and VeriBlot for IP Detection Reagent (HRP) ([ab131366](#)) at a dilution of 1/10000.

Lane 1: Human fetal forebrain whole cell lysate (10ug)

Lane 2: Human fetal forebrain whole cell lysate

Lane 3: Rabbit monoclonal IgG ([ab172730](#)) instead of ab40802 in Human fetal forebrain whole cell lysate

Why choose a recombinant antibody?

 <p>Research with confidence Consistent and reproducible results</p>	 <p>Long-term and scalable supply Recombinant technology</p>
 <p>Success from the first experiment Confirmed specificity</p>	 <p>Ethical standards compliant Animal-free production</p>

Anti-DARPP32 antibody [EP721Y] (ab40802)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors