

DyLight® 650 Anti-HA tag antibody [16B12] ab117515

★★★★★ [1 Abreviews](#) [6 References](#) [1 图像](#)

概述

产品名称	DyLight® 650 Anti-HA tag抗体[16B12]
描述	DyLight® 650小鼠单克隆抗体[16B12] to HA tag
宿主	Mouse
偶联物	DyLight® 650. Ex: 654nm, Em: 673nm
特异性	ab117515 recognizes the Influenza hemagglutinin epitope (YPYDVPDYA).
经测试应用	适用于: ICC/IF, Flow Cyt
种属反应性	与反应: Species independent
免疫原	Synthetic peptide YPYDVPDYA corresponding to HA tag.

 [Run BLAST with](#)

 [Run BLAST with](#)

常规说明

Conjugated to DyLight® 650 (ratio 1.3.): Visible absorption maxima 652 nm; Emission maximum 672 nm.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C. The product can be stored for up to 12 months.
存储溶液	pH: 7.40 Preservative: 0.01% Sodium azide Constituents: 0.58% Sodium chloride, 95% Sodium phosphate
纯度	Protein G purified
克隆	单克隆

克隆编号 16B12
同种型 IgG1

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab117515于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		1/500 - 1/5000.
Flow Cyt	★★★★★ (1)	Use at an assay dependent concentration.

靶标

相关性 Human influenza hemagglutinin (HA) is a surface glycoprotein required for the infectivity of the human virus. The HA tag is derived from the HA molecule corresponding to amino acids 98-106 has been extensively used as a general epitope tag in expression vectors. Many recombinant proteins have been engineered to express the HA tag, which does not appear to interfere with the bioactivity or the biodistribution of the recombinant protein. This tag facilitates the detection, isolation, and purification of the proteins.

图片



ab117515 staining 293T cells expressing a HA-tagged protein (intracellular) by Flow Cytometry. Cells were permeabilized and fixed. The sample was incubated with the primary antibody (1/200) for 30 minutes at 4°C.

Gating Strategy: Gated on FSC-SSC to exclude debris/dead cells.

Grey - unstained cells.

Red - Wild type 293T, stained.

Blue - 293T expressing HA-tagged protein, stained.

Flow Cytometry - DyLight® 650 Anti-HA tag antibody [16B12] (ab117515)

This image is courtesy of an anonymous Abreview

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors