abcam

Product datasheet

Anti-Dynamin 1 antibody [EP801Y] ab52611





重组 RabMAb

13 References 8 图像

概述

产品名称 Anti-Dynamin 1抗体[EP801Y]

描述 兔单克隆抗体[EP801Y] to Dynamin 1

宿主 Rabbit

经测试应用 适用于: WB, IHC-P

不适用于: ICC/IF

种属反应性 与反应: Mouse, Rat, Human

免疫原 Synthetic peptide within Human Dynamin 1 aa 800-900 (C terminal). The exact sequence is

proprietary.

阳性对照 U-2 OS and 3T3 cell lysate, human brain tissue.

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity - Long-term security of supply - Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C.

存储溶液 pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

纯度 Protein A purified

克隆 单克隆 克隆编号 **EP801Y**

同种型 lgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab52611于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/2000. Predicted molecular weight: 97 kDa.
IHC-P		1/50. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

应用说明 Is unsuitable for ICC/IF.

靶标

功能 Microtubule-associated force-producing protein involved in producing microtubule bundles and

able to bind and hydrolyze GTP. Most probably involved in vesicular trafficking processes.


Involved in receptor-mediated endocytosis.

序列相似性 Belongs to the dynamin family.

Contains 1 GED domain.
Contains 1 PH domain.

细胞定位 Cytoplasm. Cytoplasm > cytoskeleton. Microtubule-associated.

图片



Western blot - Anti-Dynamin 1 antibody [EP801Y] (ab52611)

All lanes : Anti-Dynamin 1 antibody [EP801Y] (ab52611) at 1/1000 dilution

Lane 1: Wild-type U-2 OS cell lysate

Lane 2: DNM1 knockout U-2 OS cell lysate


Lysates/proteins at 20 µg per lane.

Performed under reducing conditions.

Predicted band size: 97 kDa


ab52611 was shown to react with DNM1 in wild-type U-2 OS cells in Western blot with loss of signal observed in a DNM1 knockout cell line. Wild-type U-2 OS and DNM1 knockout cell lysates were

subjected to SDS-PAGE. Membranes were blocked in 5% milk in TBST for 1 hr before incubation with ab52611 overnight at 4 °C at a 1/1000 dilution. Blots were incubated with goat anti-rabbit HRP secondary antibodies at 0.2ug/mL before imaging. These data were provided by YCharOS Inc., an open science company with the mission of characterizing commercially available antibody reagents for all human proteins. Abcam and YCharOS are working together to help address the reproducibility crisis by enabling the life science community to better evaluate commercially available antibodies.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Dynamin 1 antibody
[EP801Y] (ab52611)

Immunohistochemical staining of paraffin embedded mouse cerebral cortex with purified ab52611 at a working dilution of 1/50. The secondary antibody used is HRP goat anti-rabbit lgG H&L (ab97051) at 1/500. The sample is counter-stained with hematoxylin. Antigen retrieval was performed using Tris-EDTA buffer, pH 9.0. PBS was used instead of the primary antibody as the negative control, and is shown in the inset.



Western blot - Anti-Dynamin 1 antibody [EP801Y] (ab52611)

All lanes : Anti-Dynamin 1 antibody [EP801Y] (ab52611) at 1/2000 dilution (purified)

Lane 1: C6 cell lysate

Lane 2: NIH/3T3 cell lysate

Lysates/proteins at 20 µg per lane.


Secondary

All lanes: HRP goat anti-rabbit lgG (H+L) at 1/1000 dilution

Predicted band size: 97 kDa **Observed band size:** 97 kDa

Blocking buffer: 5% NFDM/TBST

Dilution buffer: 5% NFDM/TBST



Western blot - Anti-Dynamin 1 antibody [EP801Y] (ab52611)

Secondary antibody only control

Copyright (C) 2015 Aucam pic

Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Dynamin 1 antibody
[EP801Y] (ab52611)

Anti-Dynamin 1 antibody [EP801Y] (ab52611) at 1/10000 dilution (purified) + SH-SY5Y cell lysate at 10 μg

Secondary


HRP goat anti-rabbit lgG (H+L) at 1/50000 dilution

Predicted band size: 97 kDa **Observed band size:** 97 kDa

Blocking buffer: 5% NFDM/TBST

Dilution buffer: 5% NFDM/TBST

Immunohistochemical staining of paraffin embedded human cerebral cortex with purified ab52611 at a working dilution of 1/50. The secondary antibody used is HRP goat anti-rabbit IgG H&L (ab97051) at 1/500. The sample is counter-stained with hematoxylin. Antigen retrieval was performed using Tris-EDTA buffer, pH 9.0. PBS was used instead of the primary antibody as the negative control, and is shown in the inset.




Western blot - Anti-Dynamin 1 antibody [EP801Y] (ab52611)

Anti-Dynamin 1 antibody [EP801Y] (ab52611) at 1/2000 dilution (unpurified) + 3T3 cell lysate at 10 μg

Secondary


Goat anti-rabbit HRP antibody at 1/2000 dilution

Predicted band size: 97 kDa **Observed band size:** 97 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Dynamin 1 antibody
[EP801Y] (ab52611)

Unpurified ab52611 at 1/100-1/250 dilution staining human brain tissue; paraffin embedded.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors