abcam

Product datasheet

Anti-FABP4 antibody ab13979

★★★★★ 2 Abreviews 37 References 4 图像

概述

产**品名称** Anti-FABP4抗体

描述 兔多克隆抗体to FABP4

宿主 Rabbit

 经测试应用
 适用于: IHC-P

 种属反应性
 与反应: Human

免疫原 Recombinant full length protein (Human).

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 Constituents: 0.134% PBS, 0.58% Sodium chloride

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 lgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab13979于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

1

应用	Ab评论	说 明
IHC-P	★★★★ (1)	1/200.

靶标

功能 Lipid transport protein in adipocytes. Binds both long chain fatty acids and retinoic acid. Delivers

long-chain fatty acids and retinoic acid to their cognate receptors in the nucleus.

序列相似性 Belongs to the calycin superfamily. Fatty-acid binding protein (FABP) family.

结**构域** Forms a beta-barrel structure that accommodates hydrophobic ligands in its interior.

细胞定位 Cytoplasm. Nucleus. Depending on the nature of the ligand, a conformation change exposes a

nuclear localization motif and the protein is transported into the nucleus. Subject to constitutive


nuclear export.

图片



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FABP4 antibody (ab13979)


Immunohistochemical analysis of FFPE human adipose tissue, labeling FABP4 with ab13979 (2µg/ml). DAB staining.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FABP4 antibody (ab13979)

Image from Holm S et al., PLoS One. 2011;6(12):e28785. Epub 2011 Dec 9. Fig 3.; doi:10.1371/journal.pone.0028785; December 9, 2011, PLoS ONE 6(12): e28785. Immunohistochemical analysis of Human carotid atherosclerotic plaques, staining FABP4 with ab13979.

Antigen retrieval was performed by heat mediation in a citrate buffer (pH 6) and blocked with 0.5% BSA. Sections were incubated with primary antibody for 1 hour at room temperature. Staining was detected using DAB.




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FABP4 antibody (ab13979)

This image is courtesy of an anonymous Abreview.

Immunohistochemical analysis of FFPE mouse pancreatic and peripancreatic fatty tissue, labeling FABP4 with ab13979. Tissue was fixed in 10% neutral buffered formalin, heat mediated antigen retrieval was performed using citrate buffer, and blocking was performed with 10% goat serum and 1% BSA inj TBST for 1 hour at 25°C.

Staining with ab13979 (diluted 1/500) was performed for 12 hours at 4°C. A goat anti-rabbit HRP-conjugated secondary was used, diluted 1/200.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FABP4 antibody (ab13979)

Image from Holm S et al., PLoS One. 2011;6(12):e28785. Epub 2011 Dec 9. Fig 3.; doi:10.1371/journal.pone.0028785; December 9, 2011, PLoS ONE 6(12): e28785.

Immunohistochemical analysis of Human carotid atherosclerotic plaques, staining FABP4 with ab13979.

Antigen retrieval was performed by heat mediation in a citrate buffer (pH 6) and blocked with 0.5% BSA. Sections were incubated with primary antibody for 1 hour at room temperature. An AlexaFluor®488-conjugated goat anti-rabbit lgG was used as the secondary antibody.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors