

Anti-Fatty Acid Synthase antibody [EPR7465] ab128856

敲除验证 重组 RabMAb


★★★★★ 5 Abreviews 16 References 5 图像

概述

产品名称	Anti-Fatty Acid Synthase抗体[EPR7465]
描述	兔单克隆抗体[EPR7465] to Fatty Acid Synthase
宿主	Rabbit
经测试应用	适用于: WB, ICC/IF, Flow Cyt (Intra) 不适用于: IHC-P or IP
种属反应性	与反应: Mouse, Rat, Human
免疫原	Synthetic peptide within Human Fatty Acid Synthase aa 1-100. The exact sequence is proprietary. Database link: P49327
阳性对照	WB: HeLa, HEK-293, 293T, A549, SHSY-5Y, NIH/3T3, L6 (Rat skeletal muscle myoblast) and MOLT4 cell lysates; Mouse brain, Rat brain lysates. ICC/IF: A549 cells. IHC-Fr: Human peritoneal tumor tissue. Flow Cyt (intra): A549 cells.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
解离常数 (K _D)	K _D = 1.58 x 10 ⁻¹¹ M



[Learn more about Kp](#)

存储溶液	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture supernatant
纯度	Protein A purified
克隆	单克隆
克隆编号	EPR7465
同种型	IgG

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用ab128856于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB	★★★★★ (2)	1/1000 - 1/10000. Predicted molecular weight: 273 kDa.
ICC/IF	★★★★★ (1)	1/50. For unpurified version, use at 1/250 - 1/500 dilution.
Flow Cyt (Intra)		1/10 - 1/100. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.

应用说明 Is unsuitable for IHC-P or IP.

靶标

功能	Fatty acid synthetase catalyzes the formation of long-chain fatty acids from acetyl-CoA, malonyl-CoA and NADPH. This multifunctional protein has 7 catalytic activities and an acyl carrier protein.
组织特异性	Ubiquitous. Prominent expression in brain, lung, and liver.
序列相似性	Contains 1 acyl carrier domain.
细胞定位	Cytoplasm. Melanosome. Identified by mass spectrometry in melanosome fractions from stage I to stage IV.

图片



All lanes : Anti-Fatty Acid Synthase antibody [EPR7465] (ab128856) at 1/5000 dilution (Purified)

Lane 1 : HeLa (Human cervix adenocarcinoma epithelial cell) whole cell lysate

Lane 2 : HEK-293 (Human embryonic kidney epithelial cell) whole cell lysate

Lane 3 : A549 (Human lung carcinoma epithelial cell) whole cell lysate

Lane 4 : MOLT-4 (Human lymphoblastic leukemia T lymphoblast) whole cell lysate

Lane 5 : SH-SY5Y (Human neuroblastoma epithelial cell) whole cell lysate

Lane 6 : Mouse brain lysate

Lane 7 : NIH/3T3 (Mouse embryonic fibroblast) whole cell lysate

Lane 8 : Rat brain lysate

Lane 9 : L6 (Rat skeletal muscle myoblast) whole cell lysate


Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (**ab97051**) at 1/20000 dilution


Predicted band size: 273 kDa

Observed band size: 273 kDa




Flow Cytometry (Intracellular) - Anti-Fatty Acid Synthase antibody [EPR7465] (ab128856)

Flow Cytometry analysis of A549 (Human lung carcinoma epithelial cell) cells labelling Fatty Acid Synthase with Purified ab128856 at 1:50 dilution (10 µg/ml) (Red). Cells were fixed with 4% Paraformaldehyde and permeabilised with 90% Methanol. A Goat anti rabbit IgG (Alexa Fluor® 488, **ab150077**) secondary antibody was used at 1:2000. Isotype control - Rabbit monoclonal IgG (Black). Unlabelled control - Cell without incubation with primary antibody and secondary antibody (Blue).



Immunocytochemistry/ Immunofluorescence - Anti-Fatty Acid Synthase antibody [EPR7465] (ab128856)

Immunocytochemistry analysis of HeLa (Human cervix adenocarcinoma epithelial cell) cells labeling Fatty Acid Synthase with Purified ab128856 at 1:50 dilution (4.5 µg/ml). Cells were fixed in 100% Methanol and permeabilized with 0.1% tritonX-100. Cells were counterstained with . Goat anti rabbit IgG (Alexa Fluor® 488, **ab150077**) was used as the secondary antibody at 1:1000 (2 µg/ml) dilution. DAPI (blue) was used as nuclear counterstain. PBS instead of the primary antibody was used as the secondary antibody only control.



Lane 1: Wild-type HAP1 cell lysate (20 µg)

Lane 2: Fatty Acid Synthase knockout HAP1 cell lysate (20 µg)

Lane 3: A549 cell lysate (20 µg)

Lane 4: Hu liver tissue lysate (20 µg)

Lanes 1 - 4: Merged signal (red and green). Green - ab128856 observed at 250 kDa. Red - loading control, **ab18058**, observed at 124 kDa.

ab128856 was shown to specifically react with Fatty Acid Synthase in wild-type HAP1 cells. No band was observed when Fatty Acid Synthase knockout samples were examined. Wild-type and Fatty Acid Synthase knockout samples were subjected to SDS-PAGE. ab128856 and **ab18058** (loading control to Vinculin) were diluted at 1/1000 and 1/10,000 respectively and incubated overnight at 4°C. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed (**ab216773**) and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed (**ab216776**) secondary antibodies at 1/10,000 dilution for 1 hour at room temperature before imaging.

Why choose a recombinant antibody?

Research with confidence
Consistent and reproducible results

Long-term and scalable supply
Recombinant technology

Success from the first experiment
Confirmed specificity

Ethical standards compliant
Animal-free production

Anti-Fatty Acid Synthase antibody [EPR7465] (ab128856)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors