abcam

Product datasheet

HRP Anti-Digoxigenin antibody [HRP.21H8] ab6212

★★★★★ 4 Abreviews 22 References 1 图像

概述

产品名称 HRP Anti-Digoxigenin抗体[HRP.21H8]

描述 HRP小鼠单克隆抗体[HRP.21H8] to Digoxigenin

宿主 Mouse 偶联物 HRP

经测试应用 适用于: IHC-Fr

种属反应性 与反应: Species independent

免疫原 Chemical/ Small Molecule conjugated to bovine serum albumin.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C.

存储溶液 pH: 7.40

Preservative: 0.01% Thimerosal (merthiolate) Constituents: PBS, 50% Glycerol, 1% BSA

纯**度** Protein A purified

克隆 単克隆

克隆编号 HRP.21H8

骨髓瘤 unknown

同种型 lgG1

轻链类型 kappa

1

The Abpromise guarantee

Abpromise™承诺保证使用ab6212于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应 用	Ab评论	说明
IHC-Fr	★★★★ <u>(2)</u>	1/200 - 1/2000. 1/200 - 1/2000. Use in combination with tyramide signal amplification.

靶标

相关性

Digoxigenin (DIG) is a steroid found exclusively in the flowers and leaves of the plants Digitalis purpurea and Digitalis lanata. Digoxigenin is chemically closely related to Digoxin, the cardiac glycoside used for the treatment of various heart diseases. The term 'genin' at the end of Digoxigenin, refers to only the aglycone portion (without the sugar) part of the molecule, thus Digoxigenin is the steroid component of Digoxin, - minus the (digitose) sugar residues. DIG can be covalently added to proteins or nucleic acids which makes it very useful in diverse applications.

图片



Immunohistochemistry (Frozen sections) - HRP Anti-Digoxigenin antibody [HRP.21H8] (ab6212) ab6212 at a dilution of 1/1000 staining Digoxigenin from human pancreatic tissue sections by immunohistochemistry (frozen). The antibody was incubated with the tissue for 2 hours.

This image is courtesy of an Abreview submitted by an anonymous researcher on **9 December 2005**.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors