abcam

Product datasheet

HRP Anti-STAT6 antibody [YE361] ab196480

重组 RabMAb

3图像

概述	
产品名称	HRP Anti-STAT6 抗体 [YE361]
描述	HRP兔单克隆抗体[YE361] to STAT6
宿主	Rabbit
偶 联 物	HRP
经 测 试应 用	适用于: IHC-P, WB
种属反 应性	与反应: Mouse, Human
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性 对照	WB: NIH3T3 whole cell lysate. IHC-P: Normal human stomach tissue.
常 规说 明	Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <u>RabMAb[®] patents</u> .

17.110	
形式	Liquid
存 放 说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle. Store In the Dark.
存储溶液	pH: 7.40 Preservative: 0.1% Proclin 300 Solution Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS
纯 度	Protein A purified
克隆	单 克隆
克 隆 编号	YE361
同种型	lgG

应用

性能


The Abpromise guarantee Abpromise ™承诺保证使用ab196480于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		1/5000. Detects a band of approximately 100 kDa (predicted molecular weight: 94 kDa).

靶 标	
功能	Carries out a dual function: signal transduction and activation of transcription. Involved in interleukin-4 signalling.
序列相似性	Belongs to the transcription factor STAT family. Contains 1 SH2 domain.
翻 译后 修 饰	Tyrosine phosphorylated following stimulation by IL-4 and IL-3.
细 胞定位	Cytoplasm. Nucleus. Translocated into the nucleus in response to phosphorylation.

图片



HRP Anti-STAT6 antibody [YE361] (ab196480) at 1/5000 dilution + NIH 3T3 (Mouse embryonic fibroblast cell line) Whole Cell Lysate at 10 μg

Developed using the ECL technique.


Performed under reducing conditions.

Predicted band size: 94 kDa Observed band size: 100 kDa

Western blot - HRP Anti-STAT6 antibody [YE361] (ab196480)

Exposure time: 20 minutes

This blot was produced using a 4-12% Bis-tris gel under the MOPS buffer system. The gel was run at 200V for 50 minutes before being transferred onto a Nitrocellulose membrane at 30V for 70 minutes. The membrane was then blocked for an hour using 3% milk before being incubated with ab196480 overnight at 4°C. Antibody binding was visualised using ECL development solution **ab133406**.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - HRP Anti-STAT6 antibody [YE361] (ab196480) IHC image of STAT6 staining in a section of formalin-fixed paraffinembedded normal human stomach*, performed on a Leica BOND. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH6, epitope retrieval solution 1) for 20mins. The section was then incubated with ab196480 at 1/100 dilution, for 15 mins at room temperature. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX. The inset negative control image is taken from an identical assay without primary antibody.

For other IHC staining systems (automated and non-automated) customers should optimize variable parameters such as antigen retrieval conditions, primary antibody concentration and antibody incubation times.

*Tissue obtained from the Human Research Tissue Bank, supported by the NIHR Cambridge Biomedical Research Centre.



HRP Anti-STAT6 antibody [YE361] (ab196480)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors