abcam

Product datasheet

Anti-IFRD1 antibody ab70037

2图像

概述	
产品名称	Anti-IFRD1 抗体
描述	小鼠多克隆抗体to IFRD1
宿主	Mouse
经 测 试应 用	适用于: ICC/IF, WB
种属反应性	与反应: Human
免疫原	Recombinant full length protein within Human IFRD1. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please contact our Scientific Support team to discuss your requirements.
阳性 对照	IFRD1 transfected 293T cell lysate.
常 规说 明	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As
性能	

形式	Liquid
存 放 说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.40 Constituent: 100% PBS
纯 度	Protein G purified
克隆	多克隆
同种型	lgG

The Abpromise guarantee


Abpromise™承诺保证使用ab70037于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		Use a concentration of 10 μ g/ml.
WB		1/500 - 1/1000. Detects a band of approximately 51 kDa (predicted molecular weight: 51 kDa).

靶 标	
功能	Could play a role in regulating gene activity in the proliferative and/or differentiative pathways induced by NGF. May be an autocrine factor that attenuates or amplifies the initial ligand-induced signal.
组织 特异性	Expressed in a variety of tissues.
序列相似性	Belongs to the IFRD family.

图片



Western blot - Anti-IFRD1 antibody (ab70037)

All lanes : Anti-IFRD1 antibody (ab70037) at 1/500 dilution


Lane 1 : IFRD1 transfected 293T lysate Lane 2 : Non-transfected 293T lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes : Goat Anti-Mouse IgG (H&L)-HRP at 1/2500 dilution

Predicted band size: 51 kDa Observed band size: 51 kDa



ab70037, at 10µg/ml, staining IFRD1 in HeLa cells by Immunocytochemistry/Immunofluorescence.

Immunocytochemistry/ Immunofluorescence - Anti-IFRD1 antibody (ab70037)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors