

Anti-IL-22RA1 antibody ab5984

★★★★☆ [4 Abreviews](#) [19 References](#) [6 图像](#)

概述

产品名称	Anti-IL-22RA1抗体
描述	兔多克隆抗体to IL-22RA1
宿主	Rabbit
经测试应用	适用于: WB, IHC-P, ICC, ICC/IF
种属反应性	与反应: Rat, Human
免疫原	Synthetic peptide corresponding to Human IL-22RA1 aa 31-46 (N terminal). Sequence: QSSNFENILTWDSGPE Database link: Q8N6P7 (Peptide available as ab6229) Run BLAST with Run BLAST with
阳性对照	WB: HepG2 whole cell lysate (ab7900). IHC-P: Rat kidney tissue. ICC/IF: HepG2 cells. ICC: HepG2 cells.
常规说明	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing. If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C. Avoid freeze / thaw cycle. Stable for 12 months at -20°C.
存储溶液	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
纯度	Immunogen affinity purified

纯化说明

IL-22RA1 Antibody is affinity chromatography purified via peptide column.

克隆

多克隆

同种型

IgG

应用

The Abpromise guarantee


Abpromise™ 承诺保证使用 ab5984 于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度；实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB	★★★★☆ (2)	Use a concentration of 0.5 - 1 µg/ml. Detects a band of approximately 62 kDa.
IHC-P	★★★★☆ (1)	Use a concentration of 5 µg/ml.
ICC		Use a concentration of 10 µg/ml.
ICC/IF		Use a concentration of 10 mg/ml.

靶标


图片



Lane 1 : Anti-IL-22RA1 antibody (ab5984) at 0.5 µg/ml


Lane 2 : Anti-IL-22RA1 antibody (ab5984) at 1 µg/ml

All lanes : HepG2 cell lysates



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of rat kidney tissue labelling IL-22RA1 with ab5984 at 5µg/ml.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IL-22RA1 antibody (ab5984)




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of rat kidney tissue labelling IL-22RA1 with ab5984 at 20µg/ml.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IL-22RA1 antibody (ab5984)


Immunocytochemistry/ Immunofluorescence - Anti-IL-22RA1 antibody (ab5984)

Immunocytochemistry/Immunofluorescence analysis of HepG2 cells labelling IL-22RA1 with ab5984 at 10µg/ml.



Immunocytochemistry - Anti-IL-22RA1 antibody (ab5984)

Immunocytochemistry of IL-22R in HepG2 cells with IL-22RA1 antibody at 10 µg/ml.



Western blot - Anti-IL-22RA1 antibody (ab5984)

Western blot analysis of IL-22RA1 expression in human HepG2 cell lysate with ab5984 at 1µg/ml. Western blot analysis of IL-22R expression in human HepG2 cell lysate with ab5984 at 1µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors