

Anti-Kallikrein 2/KLK2 antibody [6B7] ab40749

1 References [1 图像](#)

概述

产品名称	Anti-Kallikrein 2/KLK2抗体[6B7]
描述	小鼠单克隆抗体[6B7] to Kallikrein 2/KLK2
宿主	Mouse
特异性	This antibody reacts with human Kallikrein 2/KLK2. This is no detectable reactivity with PSA.
经测试应用	适用于: IHC-P
种属反应性	与反应: Human
免疫原	Tissue, cells or virus. This information is proprietary to Abcam and/or its suppliers.
阳性对照	IHC-P: Human prostate tissue.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
存储溶液	Preservative: 0.1% Sodium azide Constituent: PBS
纯度	Protein G purified
克隆	单克隆
克隆编号	6B7
同种型	IgG1

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab40749于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		

应用说明

AP: Use at an assay dependent dilution.

ELISA: Use at an assay dependent dilution.

ICC: Use at an assay dependent dilution.

IHC-P: Use at an assay dependent dilution. As a guideline use at 18ug/ml for sections. Perform heat mediated antigen retrieval via the microwave method before commencing with IHC staining protocol.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

靶标

功能

Glandular kallikreins cleave Met-Lys and Arg-Ser bonds in kininogen to release Lys-bradykinin.

序列相似性

Belongs to the peptidase S1 family. Kallikrein subfamily.

Contains 1 peptidase S1 domain.

图片



ab40749 staining Kallikrein on Human Prostate Tissue by Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) at 18 µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors