abcam

Product datasheet

Anti-MTTP/MTP antibody ab75316

★★★★★ 1 Abreviews 11 References 1 图像

概述

产**品名称** Anti-MTTP/MTP抗体

描述 兔多克隆抗体to MTTP/MTP

宿主 Rabbit

特异性 Reactivity with human samples appears to be lot-dependent. A user reported strong western blot

reactivity with a mouse cell lysate but none with a human HepG2 lysate.

 经测试应用
 适用于: WB

 种属反应性
 与反应: Mouse

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

常规说明

形式 Liqui

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

存储溶液 Constituent: Whole serum

纯**度** Whole antiserum

应用

The Abpromise quarantee Abpromise™承诺保证使用ab75316于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

1

应用	Ab评论	说明
WB	****(1)	1/200 - 1/2000. Detects a band of approximately 99 kDa (predicted molecular weight: 99 kDa).

靶标

功能

Catalyzes the transport of triglyceride, cholesteryl ester, and phospholipid between phospholipid

surfaces. Required for the secretion of plasma lipoproteins that contain apolipoprotein B.

组织特异性 Liver and small intestine. Also found in ovary, testis and kidney.

疾病相关 Abetalipoproteinemia

序列相似性 Contains 1 vitellogenin domain.

细**胞定位** Endoplasmic reticulum.

图片



Western blot - Anti-MTTP/MTP antibody (ab75316)

Anti-MTTP/MTP antibody (ab75316) at 1/500 dilution + Liver (Mouse) Tissue Lysate at 10 µg

Secondary

Goat Anti-Rabbit IgG H&L (HRP) preadsorbed (ab97080) at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 99 kDa **Observed band size:** 99 kDa

Additional bands at: 40 kDa. We are unsure as to the identity of

these extra bands.

Exposure time: 1 minute

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors