abcam

Product datasheet

Anti-p38IP antibody ab154674

1 图像

概述

产**品名称** Anti-p38IP抗体

描述 兔多克隆抗体to p38IP

宿主 Rabbit

经测试应用 适用于: WB

种属反应性 与反应: Human

预测可用于: Mouse, Rat, Cow 🔷

免疫原 Recombinant fragment corresponding to Human p38IP aa 151-440 (internal sequence).

Database link: **Q8NEM7**

阳性对照 293T whole cell lysate.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

常规说明

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 78.99% PBS, 1% BSA, 20% Glycerol (glycerin, glycerine)

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 lgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab154674于以下的经测试应用


"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/3000. Predicted molecular weight: 86 kDa.

靶标

功能	Required for MAP kinase p38 (MAPK11, MAPK12, MAPK13 and/or MAPK14) activation during gastrulation. Required for down-regulation of E-cadherin during gastrulation by regulating E-cadherin protein level downstream from NCK-interacting kinase (NIK) and independently of the regulation of transcription by Fgf signaling and Snail (By similarity). Required for starvation-induced ATG9A trafficking during autophagy.
组织 特异性	Highly expressed in testis, moderately in brain and pituitary gland. Expressed in several fetal tissues, including lung, brain, thymus and kidney. Expression is down-regulated in malignant prostate tissues.
序列相似性	Belongs to the FAM48 family.
细胞定位	Nucleus.

图片



Anti-p38IP antibody (ab154674) at 1/1000 dilution + 293T whole cell lysate at 30 μg

Predicted band size: 86 kDa

7.5% SDS PAGE

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors